




Products & Prices

Chengdu Zhongke Times Nano Energy Tech Co., Ltd..

No. 519, Luxikou North Road, Tianfu New District, Chengdu, P.R.China

Tel: +86-28-85236765 85241016 85240989

Fax: +86-28-85215069

Moblie: +86-0-173 1307 8030 (Mr. Li)

+86-0-137 3068 0221 (Ms.Zhao)

+86-0-182 4429 3603 (Ms.Huang)

Post code: 610299

E-Mail: carbon@cioc.ac.cn nano@cioc.ac.cn times@cioc.ac.cn

Wesite: <http://www.timesnano.com>

Company Profile

Chengdu Organic Chemicals Co. Ltd., Chinese Academy of Sciences (COCC) is a state-owned high-tech enterprise focused on technology research and development. It was transformed from Chengdu Institute of Organic Chemistry of Chinese Academy of Science (CIOC) established in 1958.

Timesnano belongs to COCC. Timesnano began to prepare CNTs by natural gas catalytic decomposition in 1996, supported by Foundation of President of the Chinese Academy of Science, Knowledge Innovation Project of CAS, 863 Project, Major National Scientific Research Plan and so on. Timesnano has done a lot of work on CNTs synthesis and application, and a series of progresses has been obtained. Timesnano is one member of CNTs National Standards drafting. By the end of 2015, Timesnano applied for 43 patents with 15 authorized, and published more than 100 SCI papers.

Timesnano is one of the world's major CNTs manufacturers. Its R&D capability, manufacturing level and product quality are in the advanced ranks in the world. Furthermore, Timesnano is the earliest member to realize CNTs industrial production in China and realize industrial application in China. Not only skilled in R&D and production, Timesnano is also committed to the transformation of achievements. Based on the core technology achievements of Timesnano, BTR Battery Material Co., Ltd., Shenzhen Nanotech Port Co., Ltd., Shenzhen Sanshun Zhongke New Material Co., Ltd and Sichuan Xingneng New Materials Co., Ltd were established.

With the expansion of research on carbon nanomaterial, Timesnano launched graphene products in 2011. Currently, the products of Timesnano include CNTs powder, CNTs paste, CNTs array, CNTs fiber, CNTs film, CNTs film adhesive tape, graphene, graphene film, graphene foam, graphene oxide, graphene nanoplatelets, fullerene, nano-ceramic powders and their related application products, such as conductive additives for lithium ion battery, CNTs conductive heating coating, CNTs thermal radiation coating, CNTs transparent static conductive coating, CNTs conductive fillers, CNTs functional masterbatches, CNTs epoxy composite, etc. At present, the production capacity of multi-walled carbon nanotubes is 700 tons / year. The production capacity of carbon nanotube paste is 2000 tons/year. The production capacity of high purity single wall carbon nanotube is 2 tons/year. The production capacity of graphene is 30 tons/year. The production capacity of graphite nanoplatelet is 50 tons/year.



Timesnano will remain committed to research and manufacture work on nanometer materials, maintain to be a globally reliable supplier of nanometer materials, and try its best to make contribution to global nanometer materials career and human civilization.

Development History

Foundation of Chengdu Institute of Organic Chemistry, Chinese Academy of Science	1958
Beginning to prepare CNTs by Catalytic cracking of natural gas	1996
Realizing CNTs industrial production for the first time in China (Establishing Shenzhen Nanotech Port Co., Ltd)	2001
Establishment of TIMESNANO business Division	2003
Launching high purity SWCNTs	2005
Development of CNTs-based Conductive Additives for Lithium Ion Battery	2006
Realizing CNTs industrial application in lithium-ion battery for the first time in China	2008
Establishing Shenzhen Sanshun zhongke new material Co., Ltd	2010
Launching graphene	2011
Expanding the CNTs production to above 200 t/a	2013
Expanding the CNTs paste production to above 2000 t/a	2014

Trading Units

Timesnano offers its products in standard quantities. Trading units other than those given in this publication are not available. If you wish to purchase any product in Tap quantity, please feel free to contact us for a quotation.

Prices

All prices listed in this publication are net prices and given in US dollar (\$). Shipping and handling charges are to be added to your account (see below). Any additional taxes and duties are payable by the customer.

Prices are subject to change. Please contact us for a firm quotation. All previously published price information will become void after December 3rd, 2014.

Shipping and handling charges

China:

Shipments are routinely made by **SF express**. A shipping charge of ¥ 20.00 applies for most order.

All other destinations:

Shipments are routinely made by **FedEx**. Shipping and handling charges apply. The shipping charges depend on the destination as well as on the actual gross weight of the shipment and therefore have to be determined individually. Alternatively, shipment can be arranged through any other courier service of your choice. Please

provide your account number with your preferred courier service when Ordering. The handling charges of \$30.00 applied for every order.

Please note that not all products listed in this publication are on-stock items and may therefore have longer delivery times.

According to export regulations several products are undeliverable in several countries.

Payment

Payment is possible by Wire Transfer (T/T). Terms of payment should be advance payment. All deliveries are subject to our General Terms and Conditions which can be found on our website (www.timesnano.com).

Can't find the product you need?

If you wish to purchase a product that is not listed in this publication please do not hesitate to contact us. We offer custom synthesis of many carbon nanotubes, carbon nanotubes-based products and graphene at very competitive prices.

Your suggestions for new products are always welcome!

How to place an Order

Orders should state clearly the name, product code and quantity of each product you wish to purchase as well as your VAT-ID number. Please send your Orders by email to

carbon@cioc.ac.cn

nano@cioc.ac.cn

times@cioc.ac.cn

Orders by email are preferred. You will receive a purchase Order confirmation by email or fax within 48 hours of receipt of your Order. Please let us know if you do not receive a purchase Order confirmation within this time.

Category

Nanomaterials from Timesnano

Timesnano offers CNTs (carbon nanotubes), CNTs-based products and graphene in small quantity for researchers and in Tap Order for industry groups. Our expertise in the properties, applications and various manufacturing of advance and engineered materials allows us to meet the needs of our customers.

Carbon Nanotubes:

SWCNTs

DWCNT

MWCNTs

Graphitized MWCNTs

Specific MWCNTs

Industrial MWCNTs

–OH and –COOH functionalized CNTs

Length tailored CNTs

CNTs-based Products:

CNTs Dispersant and Dispersion and Paste

CNTs Conductive Filler

CNTs/Polymer Composite

CNTs Functional Coating

Graphene:

(1) Graphene

(2) Graphene Dispersion

(3) Single Layer Graphene Oxide

(4) Single Layer Graphene Oxide Dispersion

(5) Graphene Nanoplatelets

Fullerene

Nano-ceramic Powders

Index

Product	Page
C.....	0
1 Graphene Products	6
1.1 Graphene	6
1.2 Graphene Aerogels(Graphene Foam).....	9
1.3 Graphene Films	10
1.4 Graphene Foam	16
1.5 Graphene Oxide	17
1.6 Graphene oxide Paper	19
1.7 Graphene Nanoplatelets	19
1.8 Graphene Composite	20
2 SWCNTs Products	21
2.1 High Purity Single-walled Carbon Nanotubes (Purity>95%) (moving catalyst method)	21
2.2 High Purity Single-walled Carbon Nanotubes (Purity>95%) (floating catalyst method)	21
2.3 High Purity Large Surface Area Single-walled Carbon Nanotubes (Purity>95%)	22
2.4 Purified Single-walled Carbon Nanotubes (Purity>90%)	23
2.5 Industrial Single-walled Carbon Nanotubes (Purity>60%)	25
2.6 HiPCO,Arc Preparation Single-walled CNTs Dispersion	25
3 DWCNTs Products	26
4 MWCNTs Products	27
4.1 Purified Multi-walled carbon nanotubes (purity:>98%)	27
4.2 Short Purified Multi-walled carbon nanotubes (purity:>98%)	34
4.3 Graphitized Multi-walled carbon nanotubes (purity:>99.9%)	39
4.4 Ni Coated Multi-walled carbon nanotubes	43
4.5 Other Special Multi-walled carbon nanotubes	44
5 Industrial MWCNTs Products	46
6 CNTs Cloths	50
7 CNTs Fibers	51
8 CNTs Dispersant / Dispersion / Paste	51
9 CNTs/Polymer Composite	57
10 Nano-carbon Functional Coating	59
11 Carbon nanotube sponge	60
12 CNTs Composite Conductive Agent in Lithium Ion Batteries	61
13 Fullerene	61
14 Nano-silver series	62
15 Nano-ceramic Powders	64
16 Purchase Procedure and Bank Account Information	65

Abbreviations

ID	Inner Diameter
OD	Outer Diameter
SSA	Specific Surface Area
EC	Electric Conductivity
SWCNTs	Single-Walled Carbon Nanotubes
DWCNTs	Double-Walled Carbon Nanotubes
MWCMTs	Multi-Walled Carbon Nanotubes
OAN	Oil-Absorption Value
DOP	Dioctyl phthalate
MFI	Melt Flow Index

1 Graphene Products

1.1 Graphene

Product Model	Description	Price	
TNPRGO	High-Purity Graphene Purity:>98wt% Thickness:1-3nm Size:>50μm Layers:< 3 SSA:100-200m ² /g Appearance: Black powder Min Order: 0.5g	\$200/g	0.5-20g Negotiable 50g-500g
TNHRGO	High-Electrical Conductivity Plasma Graphene Purity:>99wt% Size: 0.2-0.5μm Layers:< 5 SSA: >300m ² /g Appearance: Black powder Min Order: 1g	\$100/g	1g-20g Negotiable 20g-500g
TNERGO-3	High-Electrical Conductivity Graphene Purity:>98wt% Size: 1-5μm Layers:< 3 SSA: 50-80m ² /g Appearance: Black powder Min Order: 0.5g	\$200/g	0.5g-20g Negotiable 20g-500g
TNERGO-10	High-Electrical Conductivity Graphene	\$200/g	0.5g-20g

Purity:>98wt%
Size: 8-15 μ m
Layers:< 3
SSA: 70-110m²/g
Appearance: Black powder
Min Order: 0.5g

Negotiable 20g-500g

TNERGO-50	High-Electrical Conductivity Graphene Purity:>98wt% Size: >50 μ m Layers:< 3 SSA: 110-170m ² /g Appearance: Black powder Min Order: 0.5g	\$200/g Negotiable 20g-500g
TNRGO	Graphene Purity:>98wt% Thickness:0.55-3.74nm Size:0.5-3 μ m Layers:<10 SSA:500-1000m ² /g Appearance: Black powder Min Order: 0.5g	\$145/g Negotiable 50g-500g
TN3DRGO	Three-Dimensional Graphene Purity: >60 wt% (Containing ~40 wt% Fe nanoparticles anchored on graphene sheet) layers: 3-4 Thickness: <1.4 nm Scale of graphene sheet: 6-8 μ m Specific Surface Area: 250-350 m ² /g	\$84/g Negotiable 50g-500g
TN3DPRGO	Three-Dimensional Graphene Purity: >96 wt% layers: 3-4 Thickness: <1.4 nm Scale of graphene sheet: 6-8 μ m	\$133/g Negotiable 50g-500g
TNWRGO According to the content of solid calculation	Graphene Dispersion Purity:>98wt% Thickness:0.55-3.74nm Size:0.5-3 μ m Layers:<10 SSA:500-1000m ² /g TNRGO content: 0.4~0.6 wt % Dispersant Content:0.4~0.6 wt % Appearance: Black water dispersion Min Order:1g	\$145/g Negotiable 50g-500g

TNWPRGO	Graphene Aqueous Paste Purity:>98wt% D(50):4-6μm Layers:<10 SSA:500-700m ² /g TNRGO content: 1-1.5 wt % Dispersant Content:0.2 -0.3wt% Min Order: 1g	\$145/g Negotiable 50g-500g	<50g
TNAPRGO	Graphene Ethanol Paste Purity:>98wt% Layers:<10 SSA:500-1000m ² /g TNRGO content: 1-2wt% Dispersant Content:0.2 -1wt% Min Order: 1g	\$170/g Negotiable 50g-500g	<50g
TNDPRGO	Graphene DMF Paste Purity:>98wt% Layers:<10 SSA:500-1000m ² /g TNRGO content: 1-2wt% Dispersant Content:0.2 -1wt% Min Order: 1g	\$170/g Negotiable 50g-500g	<50g
TNNPRGO	Graphene NMP Paste Purity:>98wt% D(50):4-6μm Layers:<10 SSA:500-700m ² /g TNRGO content: 1-1.5 wt % Dispersant Content:0.2-0.75wt% Min Order: 1g	\$145/g Negotiable 50g-500g	<50g
TNNRGO	Nitrogen Doped Graphene Purity:>98wt% Thickness:1-3nm Size:2-10μm Layers:< 3 SSA:100-300m ² /g Appearance: Black powder Min Order: 0.5g	\$230/g Negotiable 50g-500g	0.5-20g
TNRGOC	-COOH Functionalized Graphene Purity:>98wt% Thickness:0.55-3.74nm Size:0.5-3μm Layers:<10 Appearance: Black powder	\$200/g Negotiable 50g-500g	0.5-20g

Min Order: 0.5g			
TNRGOH	-OH Functionalized Graphene	\$200/g	0.5-20g
	Purity:>98wt%	Negotiable 50g-500g	
	Thickness:0.55-3.74nm		
	Size:0.5-3μm		
	Layers:<10		
	Appearance: Black powder		
	Min Order: 0.5g		
TNRGON	NH₂ Functionalized Graphene	\$230/g	0.5-20g
	Purity:>98wt%	Negotiable 50g-500g	
	Thickness:0.55-3.74nm		
	Size:0.5-3μm		
	Layers:<10		
	Appearance: Black powder		
	Min Order: 0.5g		
TNIRGO	Industrial Graphene	\$32/g	1g-50g
	Purity:>97wt%	Negotiable 50g-500g	
	Size:<6μm		
	Layers:<10		
	SSA:80-120m ² /g		
	EC:>100S/m		

1.2 Graphene Aerogels(Graphene Foam)

Product Model	Description	Price
TNSGA-1	Strong Graphene Aerogels	\$83/piece
	Diameter: 1.2±0.2cm	
	Height: 1.2±0.2cm	
	Density: 10-20 mg/cm ³	
TNSGA-2	Strong Graphene Aerogels	\$100/piece
	Diameter: 2.0±0.5cm	
	Height: 2.0±0.5cm	
	Density: 10-20 mg/cm ³	
TNULGA-1	Ultra-light Graphene Aerogels	\$83/piece
	Diameter: 1.2±0.2cm	
	Height: 1.2±0.2cm	
	Density: 3-5 mg/cm ³	
TNULGA-2	Ultra-light Graphene Aerogels	\$100/piece
	Diameter: 2.0±0.5cm	
	Height: 2.0±0.5cm	

TNCNTGA-1	Density: 3-5 mg/cm ³	CNT modified Graphene Aerogels	\$83/piece
	Diameter: 1.2±0.2cm		
	Height: 1.2±0.2cm		
	Density: 4-8 mg/cm ³		
TNCNTGA-2	Density: 4-8 mg/cm ³	CNT modified Graphene Aerogels	\$100/piece
	Diameter: 2.0±0.5cm		
	Height: 2.0±0.5cm		
	Density: 4-8 mg/cm ³		
TNMGA-1	Density: 4-8 mg/cm ³	Magnetic graphene aerogel	\$92/piece
	Diameter: 1.0cm ± 0.2cm		
	Height: 1.0cm ± 0.2cm		
	Density: 10-13 mg/cm ³		
TNMGA-2	Content of Fe ₃ O ₄ : 47±3%	Magnetic graphene aerogel	\$108/piece
	Diameter: 2.0cm ± 0.5cm		
	Height: 2.0cm ± 0.5cm		
	Density: 10-13 mg/cm ³		
TNMGA-3	Content of Fe ₃ O ₄ : 47±3%	Magnetic graphene aerogel	\$92/piece
	Diameter: 1.0cm ± 0.2cm		
	Height: 1.0cm ± 0.2cm		
	Density: 14-17 mg/cm ³		
TNMGA-4	Content of Fe ₃ O ₄ : 63±3%	Magnetic graphene aerogel	\$108/piece
	Diameter: 2.0cm ± 0.5cm		
	Height: 2.0cm ± 0.5cm		
	Density: 14-17 mg/cm ³		
TNMGA-4	Content of Fe ₃ O ₄ : 63±3%	Magnetic graphene aerogel	\$108/piece
	Diameter: 2.0cm ± 0.5cm		
	Height: 2.0cm ± 0.5cm		
	Density: 14-17 mg/cm ³		

1.3 Graphene Films

Product Model	Description	Price
TNFCA1	Graphene Film on Copper Foil	\$60
	Monolayer A	
	Square Resistance:300-600Ω/◇	
	Size:1cm*1cm	
TNFCB1	Monolayer B	\$40
	Square Resistance:700-1500Ω/◇	
	Size:1cm*1cm	
	Few layer	
TNFCF1		\$50

	Square Resistance:500-1200Ω/◇ Size:1cm*1cm	
TNFCA2	MonolayerA	\$160
	Square Resistance:300-600Ω/◇ Size:2cm*2cm	
TNFCB2	MonolayerB	\$80
	Square Resistance:700-1500Ω/◇ Size:2cm*2cm	
TNFCF2	Few layer	\$120
	Square Resistance:500-1200Ω/◇ Size:2cm*2cm	
TNFCA5	Monolayer A	\$460
	Square Resistance:300-600Ω/◇ Size:5cm*5cm	
TNFCB5	Monolayer B	\$300
	Square Resistance:700-1500Ω/◇ Size:5cm*5cm	
TNFCF5	Few layer	\$370
	Square Resistance:500-1200Ω/◇ Size:5cm*5cm	
TNFCA51	Monolayer A	\$730
	Square Resistance:300-600Ω/◇ Size:5cm*10cm	
TNFCB51	Monolayer B	\$460
	Square Resistance:700-1500Ω/◇ Size:5cm*10cm	
TNFCF51	Few layer	\$550
	Square Resistance:500-1200Ω/◇ Size:5cm*10cm	
TNFCA10	Monolayer A	\$1,100
	Square Resistance:300-600Ω/◇ Size:10cm*10cm	
TNFCB10	Monolayer B	\$640
	Square Resistance:700-1500Ω/◇ Size:10cm*10cm	
TNFCF10	Few layer	\$825
	Square Resistance:500-1200Ω/◇ Size:10cm*10cm	
TNFCA15	Monolayer A	\$1280
	Square Resistance:300-600Ω/◇ Size:10cm*15cm	
TNFCB15	Monolayer B	\$825
	Square Resistance:700-1500Ω/◇ Size:10cm*15cm	

TNFCF15	Few layer Square Resistance:500-1200Ω/◇ Size:10cm*15cm	\$1,100
TNFCA23	MonolayerA Square Resistance:300-600Ω/◇ Size:20cm*30cm	\$2,200
TNFCEB23	MonolayerB Square Resistance:700-1500Ω/◇ Size:20cm*30cm	\$1,470
TNFCF23	Few layer Square Resistance:500-1200Ω/◇ Size:20cm*30cm	\$1,650

Product Model	Description	Price
Steeping-Taking Graphene Film on Copper Foil		
TNFPCA1	Monolayer A Square Resistance:300-600Ω/◇ Size:1cm*1cm	\$80
TNFPCB1	Monolayer B Square Resistance:700-1500Ω/◇ Size:1cm*1cm	\$48
TNFPCF1	Few layer Square Resistance:500-1200Ω/◇ Size:1cm*1cm	\$50
TNFPCA2	MonolayerA Square Resistance:300-600Ω/◇ Size:2cm*2cm	\$240
TNFPCB2	MonolayerB Square Resistance:700-1500Ω/◇ Size:2cm*2cm	\$120
TNFPCF2	Few layer Square Resistance:500-1200Ω/◇ Size:2cm*2cm	\$180
TNFPCA5	Monolayer A Square Resistance:300-600Ω/◇ Size:5cm*5cm	\$590
TNFPCB5	Monolayer B Square Resistance:700-1500Ω/◇ Size:5cm*5cm	\$360
TNFPCF5	Few layer Square Resistance:500-1200Ω/◇ Size:5cm*5cm	\$400
TNFPCA51	Monolayer A Square Resistance:300-600Ω/◇	\$860

TNFPCB51	Size:5cm*10cm Monolayer B Square Resistance:700-1500Ω/◇	\$510
TNFPCF51	Size:5cm*10cm Few layer Square Resistance:500-1200Ω/◇	\$730
TNFPCA10	Size:5cm*10cm Monolayer A Square Resistance:300-600Ω/◇	\$1,280
TNFPCB10	Size:10cm*10cm Monolayer B Square Resistance:700-1500Ω/◇	\$730
TNFPCF10	Size:10cm*10cm Few layer Square Resistance:500-1200Ω/◇	\$920

Product Model	Description	Price
	Impending Self-help Transfer Graphene Film	
TNFTA1	Monolayer A Square Resistance:300-600Ω/◇ Size:1cm*1cm	\$80
TNFTB1	Monolayer B Square Resistance:700-1500Ω/◇ Size:1cm*1cm	\$40
TNFTF1	Few layer Square Resistance:500-1200Ω/◇ Size:1cm*1cm	\$60
TNFTA2	MonolayerA Square Resistance:300-600Ω/◇ Size:2cm*2cm	\$240
TNFTB2	MonolayerB Square Resistance:700-1500Ω/◇ Size:2cm*2cm	\$120
TNFTF2	Few layer Square Resistance:500-1200Ω/◇ Size:2cm*2cm	\$200
TNFTA5	Monolayer A Square Resistance:300-600Ω/◇ Size:5cm*5cm	\$590
TNFTB5	Monolayer B Square Resistance:700-1500Ω/◇ Size:5cm*5cm	\$370
TNFTF5	Few layer	\$460

Square Resistance:500-1200Ω/◇
Size:5cm*5cm

Product Model	Description	Price
Graphene Film on Silicon Oxide Substrates		
TNFMA1	Monolayer A Square Resistance:300-600Ω/◇ Size:1cm*1cm	\$90
TNFMB1	Monolayer B Square Resistance:700-1500Ω/◇ Size:1cm*1cm	\$50
TNFMF1	Few layer Square Resistance:500-1200Ω/◇ Size:1cm*1cm	\$70
TNFMA2	MonolayerA Square Resistance:300-600Ω/◇ Size:2cm*2cm	\$260
TNFMB2	MonolayerB Square Resistance:700-1500Ω/◇ Size:2cm*2cm	\$130
TNFMF2	Few layer Square Resistance:500-1200Ω/◇ Size:2cm*2cm	\$180
TNFMA5	Monolayer A Square Resistance:300-600Ω/◇ Size:5cm*5cm	\$640
TNFMB5	Monolayer B Square Resistance:700-1500Ω/◇ Size:5cm*5cm	\$370
TNFMF5	Few layer Square Resistance:500-1200Ω/◇ Size:5cm*5cm	\$550
TNFMA7	Monolayer A Square Resistance:300-600Ω/◇ Size:7cm*7cm	\$825
TNFMB7	Monolayer B Square Resistance:700-1500Ω/◇ Size:7cm*7cm	\$460
TNFMF7	Few layer Square Resistance:500-1200Ω/◇ Size:7cm*7cm	\$640

Product Model	Description	Price
Graphene Film on Quartz Substrates		

TNFQA1	Monolayer A Square Resistance:300-600Ω/◇ Size:1cm*1cm	\$90
TNFQB1	Monolayer B Square Resistance:700-1500Ω/◇ Size:1cm*1cm	\$50
TNFQF1	Few layer Square Resistance:500-1200Ω/◇ Size:1cm*1cm	\$70
TNFQA2	MonolayerA Square Resistance:300-600Ω/◇ Size:2cm*2cm	\$240
TNFQB2	MonolayerB Square Resistance:700-1500Ω/◇ Size:2cm*2cm	\$130
TNFQF2	Few layer Square Resistance:500-1200Ω/◇ Size:2cm*2cm	\$180
TNFQA5	Monolayer A Square Resistance:300-600Ω/◇ Size:5cm*5cm	\$660
TNFQB5	Monolayer B Square Resistance:700-1500Ω/◇ Size:5cm*5cm	\$370
TNFQF5	Few layer Square Resistance:500-1200Ω/◇ Size:5cm*5cm	\$510

Product Model	Description	Price
	Graphene Film on PET Substrates	
TNFPA1	Monolayer A Square Resistance:300-600Ω/◇ Size:1cm*1cm	\$90
TNFPB1	Monolayer B Square Resistance:700-1500Ω/◇ Size:1cm*1cm	\$60
TNFPF1	Few layer Square Resistance:500-1200Ω/◇ Size:1cm*1cm	\$70
TNFPA2	MonolayerA Square Resistance:300-600Ω/◇ Size:2cm*2cm	\$240
TNFPB2	MonolayerB Square Resistance:700-1500Ω/◇	\$130

TNFPF2	Size:2cm*2cm Few layer Square Resistance:500-1200Ω/◇	\$200
TNFPA5	Size:2cm*2cm Monolayer A Square Resistance:300-600Ω/◇	\$640
TNFPB5	Size:5cm*5cm Monolayer B Square Resistance:700-1500Ω/◇	\$370
TNFPF5	Size:5cm*5cm Few layer Square Resistance:500-1200Ω/◇	\$550
TNFPA51	Size:5cm*5cm Monolayer A Square Resistance:300-600Ω/◇	\$730
TNFPB51	Size:5cm*10cm Monolayer B Square Resistance:700-1500Ω/◇	\$460
TNFPF51	Size:5cm*10cm Few layer Square Resistance:500-1200Ω/◇	\$550

1.4 Graphene Foam

Product Model	Description	Price
	Nickel Graphene Foam	
TNNFA1	Monolayer A Thickness:1-1.2mm Size:1cm*1cm	\$80
TNNFA2	Monolayer A Thickness:1-1.2mm Size:2cm*2cm	\$160
TNNFA5	Monolayer A Thickness:1-1.2mm Size:5cm*5cm	\$460
TNNFA51	Monolayer A Thickness:1-1.2mm Size:5cm*10cm	\$730
Product Model	Description	Price
	Impending Self-help Transfer Nickel Graphene Foam	

TNNFTA1	Monolayer A Thickness:1-1.2mm Size:1cm*1cm	\$100
TNNFTA2	Monolayer A Thickness:1-1.2mm Size:2cm*2cm	\$180
TNNFTA3	Monolayer A Thickness:1-1.2mm Size:3cm*3cm	\$416

1.5 Graphene Oxide

TNGO	Graphene Oxide Powder Purity:>99wt% Thickness:0.55~1.2nm Size:0.5-3μm Layers:<3 Appearance: Brown yellow powder Min Order: 0.5g	\$130/g Negotiable	<50g 50g-500g
TNGO-3	Graphene Oxide Powder Purity:>98wt% ASH: <1.5wt% Size:1-5μm Layers:1-2 Min Order: 0.5g	\$130/g Negotiable	<50g 50g-500g
TNGO-10	Graphene Oxide Powder Purity:>98wt% ASH: <1.5wt% Size:8-15μm Layers:1-2 Min Order: 0.5g	\$130/g Negotiable	<50g 50g-500g
TNGO-50	Graphene Oxide Powder Purity:>98wt% ASH: <1.5wt% Size:>50μm Layers:1-2 Min Order: 0.5g	\$130/g Negotiable	<50g 50g-500g
TNIGO	Industrial Graphene Oxide Purity:>97wt% Thickness:0.55-2.0 nm Size:3-10μm Layers:<5	\$67/g \$50/g	1g-50g 50g-100g
TNIGO-2	Industrial Graphene Oxide	\$26/g	1g-50g

	Purity:>95wt% Thickness:0.55-5.0 nm Size:0.5-10μm Layers:<10	\$20/g	50g-200g
TNWGO	Graphene Oxide Water Dispersion	pH=1-2 \$110/g <50g pH=3-4 \$130/g <50g Negotiable 50g-500g	
According to the content of solid calculation	Purity:>99wt% Thickness:0.55~1.2nm Size:0.5-3μm Layers:<3 TNGO content: 1-3wt % Appearance: Brown gel Min Order: 1g		
TNWGO-3	Graphene Oxide Water Dispersion	pH=1-2 \$110/g <50g pH=3-4 \$130/g <50g Negotiable 50g-500g	
	Purity:>98wt% ASH: <1.5wt% Size:1-5μm Layers:1-2 TNGO content: 1-3wt% Min Order: 1g		
TNWGO-10	Graphene Oxide Water Dispersion	pH=1-2 \$110/g <50g pH=3-4 \$130/g <50g Negotiable 50g-500g	
	Purity:>98wt% ASH: <1.5wt% Size:8-15μm Layers:1-2 TNGO content: 1-3wt% Min Order: 1g		
TNWGO-50	Graphene Oxide Water Dispersion	pH=1-2 \$110/g <50g pH=3-4 \$150/g <50g Negotiable 50g-500g	
	Purity:>98wt% ASH: <1.5wt% Size:>50μm Layers:1-2 TNGO content: 1-3wt% Min Order: 1g		
TNWIGO	Industrial Graphene Oxide Water Dispersion	\$40/g 1g-50g \$25/g 50g-100g \$16/g 100g-500g	
	Purity:>97wt% Thickness:<5nm Size:2-8μm Layers:<5 D50=3.737μm		

1.6 Graphene oxide Paper

Product Model	Description	Price
TNFOGP3	Graphene oxide Paper Size: Diameter 9.0cm $\pm$ 0.5cm Thickness: 3 μ m $\pm$ 1 μ m	\$83/piece
TNFOGP10	Graphene oxide Paper Size: Diameter 9.0cm $\pm$ 0.5cm Thickness: 10 μ m $\pm$ 2 μ m	\$83/piece

1.7 Graphene Nanoplatelets

TNGNP	Graphene Nanoplatelets Purity:>99.5wt% Thickness:4-20nm Size:5-10 μ m Layers:<20 Density: 0.6g/cm ³ PH Value:PH=7.00-7.65 (30℃) Appearance: Grey brown powder Min Order: 5g	\$8/g Negotiable	5-50g 50g-500g
TNIGNP	Industrial Graphene Nanoplatelet Purity:>90wt% layers: <30 Diameter: 2-16 μ m Density: 0.6g/cm ³ Volume Resistivity:<0.15 ohm.cm	\$250/kg Negotiable	1-10kg >10kg
TNIGNP-2	Industrial Graphene Nanoplatelet Purity:>90wt% Layers: <30 Diameter: 2-13 μ m Density: 0.2g/cm ³ Volume Resistivity:<0.2 ohm.cm	\$300/kg Negotiable	1-10kg >10kg
TNWIGNP	Industrial Graphite Nanoplatelet Aqueous Paste Purity:>90wt% IGNP Content: 5wt% Dispersant Content: 1wt% layers: <30 Diameter: 2-16 μ m SSA:30-40m ² /g	\$67/kg Negotiable	1-10kg >10kg
TNNIGNP	Industrial Graphite Nanoplatelet NMP Paste	\$67/kg	1-10kg

Purity:>90wt%
IGNP Content: 5wt%

Negotiable >10kg

Dispersant Content: 1wt%
layers: <30
Diameter: 2-16um
SSA:30-40m²/g

1.8 Graphene Composite

TNGHC-1	Graphene High Temperature Coating Fineness: ≤20um Density: 1.4-1.8g/cm ³ Solid content:60-70%	\$500/kg	1-10kg
TNIGNP-CNTs	Industrial Graphite Nanoplatelet CNTs Powder Composite Purity:>90wt% GNP and CNTs composition proportion 4:1 adjustable Layers: <30 Median size d(0.5): 5-7um	\$250/kg Negotiable	1-10kg >10kg
TN3DRGO-CNT	Three-Dimensional Graphene/Multi-Walled Carbon Nanotubes Composite Purity: >90 wt% (Containing 5~10 wt% Fe nanoparticles) Graphene layers: 3-4 Graphene Sheet Thickness: <1.4 nm Scale of graphene sheet: 6-8 μm CNT Length (Controllable) : 5-20 μm CNT Outer Diameter (Controllable) : 5-40 nm Specific Surface Area: 50-250 m ² /g	\$100/g Negotiable	1-50g >50g
TNWIGNP-CNTs	Industrial Graphite Nanoplatelet CNTs Composite Aqueous Paste Purity:>90wt% GNP and CNTs Content: 5wt% GNP and CNTs composition proportion 4:1adjustable Dispersant Content: 0.5-1.5wt% Layers: <30 Median size d(0.5): 3-6um	\$67/kg Negotiable	1-10kg >10kg
TNNIGNP-CNTs	Industrial Graphite Nanoplatelet CNTs Composite NMP Paste	\$ 67/kg Negotiable	1-10kg >10kg

Purity:>90wt%
 GNP and CNTs Content: 5wt%
 GNP and CNTs composition proportion
 4:1adjustable
 Dispersant Content: 0.5-1.5wt%
 layers: <30
 Median size d(0.5): 3-6um

2 SWCNTs Products

2.1 High Purity Single-walled Carbon Nanotubes(Purity>95%)(moving catalyst method)

Product Model	Description	Price
TNST	High Purity SWCNTs (moving catalyst method)	\$200/g <50g
SWCNTs	Purity:>95wt%	Negotiable 50g-500g
95%	OD:<2nm	Negotiable 500g-5kg
	Length:5-30 μm	
	SSA:>490 m ² /g	
	ASH: <5wt%	
	Ignited Temperature: >610℃	
	EC:>100s/cm	
	Making method:CVD	
	Appearance: Black powder	
	Min Order: 1g	

2.2 High Purity Single-walled Carbon Nanotubes(Purity>95%)(floating catalyst method)

Product Model	Description	Price
TNSR-P	High Purity SWCNTs (floating catalyst method)	\$85/g 1g-50g
SWCNTs	Purity:>97wt%	
97%	OD:<2nm	
	Length:5-30 μm	
	SSA:>640 m ² /g	
	ASH: <3wt%	
	EC:>100s/cm	
TNSRH	High Purity SWCNTs,-OH functionalized	\$95/g 1g-50g

(floating catalyst method)			
SWCNTs 95%	Purity:>95wt% OD:<2nm Length:5-30 μm EC:>100s/cm Appearance: Black powder		
TNSRC	High Purity SWCNTs,-COOH functionalized (floating catalyst method)	\$95/g	1g-50g
SWCNTs 95%	Purity:>95wt% OD:<2nm Length:5-30 μm EC:>100s/cm Appearance: Black powder		
TNSRN	High Purity SWCNTs,-NH₂ functionalized (floating catalyst method)	\$100/g	1g-50g
SWCNTs 95%	Purity:>95wt% OD:<2nm Length:5-30 μm EC:>100s/cm Appearance: Black powder		
TNSSR	Short high Purity SWCNTs (floating catalyst method)	\$100/g	1g-50g
SWCNTs 95%	Purity:>95wt% OD:<2nm Length:1-3 μm SSA:>670 m^2/g Appearance: Black powder		
TNSSRH	Short high Purity SWCNTs,-OH functionalized (floating catalyst method)	\$130/g	1g-50g
SWCNTs 95%	Purity:>95wt% OD:<2nm Length:1-3 μm SSA:>630 m^2/g EC:>100s/cm Appearance: Black powder		
TNSSRC	Short high Purity SWCNTs,-COOH functionalized (floating catalyst method)	\$130/g	1g-50g
SWCNTs 95%	Purity:>95wt% OD:<2nm Length:1-3 μm EC:>100s/cm Appearance: Black powder		
TNSSRN	Short high Purity SWCNTs,-COOH functionalized (floating catalyst method)	\$130/g	1g-50g

SWCNTs
95%
Purity:>95wt%
OD:<2nm
Length:1-3 μm
EC:>100s/cm
Appearance: Black powder

2.3 High Purity Large Surface Area Single-walled Carbon Nanotubes

(Purity>95%)

Product Model	Description	Price	
TNSAR	High Purity Large Surface Area SWCNTs	\$130/g	1g-50g
SWCNTs 95%	Purity:>95wt% OD:<2nm Length:5-30 μm SSA:>900 m^2/g ASH: <2.5wt% EC:>100s/cm		

2.4 Purified Single-walled Carbon Nanotubes (Purity>90%)

TNS	Purified SWCNTs	\$65/g	<50g
SWCNTs 90%	Purity:>90wt% OD: 1-2nm Length: 5-30 μm SSA:>380 m^2/g ASH: <5wt% EC:>100s/cm Making method:CVD Color: Black Min Order: 1g	\$58/g \$52/g Negotiable	50g-500g 500g-5kg 5kg-50kg
TNSH	Purified SWCNTs,-OH functionalized	\$75/g	<50g
SWCNTs -OH Functionalized 90%	Purity:>90wt% -OH Content:3.96wt% OD: 1-2nm Length: 5-30 μm SSA:>300 m^2/g ASH: <5wt% EC:>100s/cm Making method:CVD Color: Black Min Order: 1g	\$70/g \$65/g Negotiable	50g-500g 500g-5kg 5kg-50kg
TNSC	Purified SWCNTs,-COOH functionalized	\$75/g	<50g

SWCNTs -COOH Functionalized 90%	Purity:>90wt% -COOH Content:2.73wt% OD: 1-2nm Length: 5-30 μ m SSA:>320 m ² /g ASH: <5wt% EC:>100s/cm Making method:CVD Color: Black Min Order: 1g	\$70/g 50g-500g \$65/g 500g-5kg Negotiable 5kg-50kg
TNSS	Short Purified SWCNTs	\$95/g <50g
SWCNTs Length-tailored 90%	Purity:>90wt% OD: 1-2nm Length: 1-3 μ m SSA:>340 m ² /g ASH: <5wt% EC:>100s/cm Making method:CVD Color: Black Min Order: 1g	\$85/g 50g-500g \$75/g 500g-5kg Negotiable 5kg-50kg
TNSSH	Short Purified SWCNTs, -OH functionalized	\$118/g <50g
SWCNTs Length-tailored -OH Functionalized 90%	Purity:>90wt% -OH Content:3.96wt% OD: 1-2nm Length: 1-3 μ m SSA:>380 m ² /g ASH: <5wt% EC:>100s/cm Making method:CVD Color: Black Min Order: 1g	\$106/g 50g-500g \$92/g 500g-5kg Negotiable 5kg-50kg
TNSSC	Short Purified SWCNTs, -COOH functionalized	\$118/g <50g
SWCNTs Length-tailored -COOH Functionalized 90%	Purity:>90wt% -COOH Content:2.73wt% OD: 1-2nm Length: 1-3 μ m SSA:>380 m ² /g ASH: <5wt% EC:>100s/cm Making method:CVD Color: Black Min Order: 1g	\$106/g 50g-500g \$92/g 500g-5kg Negotiable 5kg-50kg

2.5 Industrial Single-walled Carbon Nanotubes (Purity>60%)

TNIS	Industrial SWCNTs	\$25/g	<50g
SWCNTs	Purity:>60wt%	\$20/g	50g-500g
60%	OD: 1-2nm	Negotiable	500g-5kg
	Length: 5-30μm		
	SSA:>407 m ² /g		
	ASH: <5wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 1g		
TNISH	Industrial SWCNTs, -OH functionalized	\$30/g	<50g
SWCNTs	Purity:>60wt%	\$25/g	50g-500g
-OH	-OH Content: 3.96wt%	Negotiable	500g-5kg
Functionalized	OD: 1-2nm		
60%	Length: 5-30μm		
	SSA:>407 m ² /g		
	ASH: <5wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 1g		
TNISC	Industrial SWCNTs, -COOH functionalized	\$30/g	<50g
SWCNTs	Purity:>60wt%	\$25/g	50g-500g
-COOH	-COOH Content: 2.73wt%	Negotiable	500g-5kg
Functionalized	OD: 1-2nm		
60%	Length: 5-30μm		
	SSA:>407 m ² /g		
	ASH: <5wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 1g		

2.6 HiPCO,Arc Preparation Single-walled CNTs Dispersion

TNWMHS	Mixed Single-walled CNTs dispersion	\$530/50ml
	CNTs Preparation Technology:HiPCO	
	Purity of SWCNTs:>98wt%	
	Diameter: 0.7-1.1nm	
	Solvent: water	

	Dispersant: surfactant	
TNWMAS	Mixed Single-walled CNTs dispersion CNTs Preparation Technology: Arc Purity of SWCNTs: >95wt% Diameter: 1.2-1.6nm Solvent: water Dispersant: surfactant	\$500/50ml
TNWCHS	Semiconducting Single-walled CNTs dispersion CNTs Preparation Technology: HiPCO Purity of semiconductor SWCNTs: >99wt% Diameter: 0.7-1.1nm Solvent: water Dispersant: surfactant	\$860/10ml
TNMCHS	Semiconducting Single-walled CNTs dispersion CNTs Preparation Technology: HiPCO Purity of semiconductor SWCNTs: >99.9wt% Diameter: 0.7-1.1nm Solvent: Dimethylbenzene Dispersant: conjugated polymer	\$1335/20ml
TNMCAS	Semiconducting Single-walled CNTs dispersion CNTs Preparation Technology: Arc Purity of semiconductor SWCNTs: >99.9wt% Diameter: 1.2-1.6nm Solvent: Dimethylbenzene Dispersant: conjugated polymer	\$1000/20ml
TNWMS	Metallic Single-walled CNTs dispersion CNTs Preparation Technology: Hipco Purity of metallic SWCNTs: >90wt% Diameter: 0.8-1.2nm Solvent: water Dispersant: surfactant	\$1000/10ml

3 DWCNTs Products

Product Model	Description	Price	
TND	DWCNTs	\$42/g	<50g
DWCNTs	Purity: >60wt%	\$35/g	50g-500g
60%	OD: 2-4nm	\$30/g	500g-5kg
	Length: ~50μm	\$25/g	5kg-50kg

SSA: >200m²/g
 ASH: <5wt%
 EC:>100s/cm
 Making method:CVD
 Color: Black
 Min Order: 1g

TNDH	DWCNTs,-OH functionalized	\$48/g	<50g
DWCNTs	Purity:>60wt%	\$42/g	50g-500g
-OH	-OH Content: 2.92wt%	\$37/g	500g-5kg
Functionalized	OD: 2-4nm	\$32/g	5kg-50kg
60%	Length: ~50μm		
	SSA: >200m ² /g		
	ASH: <5wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 1g		
TNDC	DWCNTs, -COOH functionalized	\$48/g	<50g
DWCNTs	Purity:>60wt%	\$42/g	50g-500g
-COOH	-OH Content: 2.58wt%	\$37/g	500g-5kg
Functionalized	OD: 2-4nm	\$32/g	5kg-50kg
60%	Length: ~50μm		
	SSA: >200m ² /g		
	ASH: <5wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 1g		

4 MWCNTs Products

4.1 Purified Multi-walled carbon nanotubes (purity:>98%)

Product Model	Description	Price	
TNM0	Purified MWCNTs	\$5/g	<50g
MWCNTs	Purity:>98wt%	\$3.5/g	50g-500g
98%, 4-8nm	OD: 4-8nm		
	Length: 10-20μm		
	SSA: 350-550m ² /g		
	ASH: <2wt%		

EC:>100s/cm
Making method:CVD
Min Order: 10g

TNMP1	Purified MWCNTs	\$5/g	<50g
MWCNTs	Purity:>99wt%	\$3.5/g	50g-500g
99%	OD: 5-15nm		
	Length: 10-30μm		
	SSA: 220-300m ² /g		
	ASH: <1wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 10g		
TNM1	Purified MWCNTs	\$3.8/g	<50g
MWCNTs	Purity:>98wt%	\$3.0/g	50g-500g
98%	OD: 5-15nm	\$1.5/g	500g-5kg
	Length: 10-30μm		
	SSA: 220-300m ² /g		
	ASH: <2wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 10g		
TNM2	Purified MWCNTs	\$3.8/g	<50g
MWCNTs	Purity:>95wt%	\$3.0/g	50g-500g
95%, 8-15nm	OD: 8-15nm	\$1.5/g	500g-5kg
	Length: ~50μm		
	SSA: >140m ² /g		
	ASH: <5wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 10g		
TNEM3	High-Electrical Conductivity MWCNTs	\$5/g	<50g
MWCNTs	Purity:>85wt%	\$3.5/g	50g-500g
90%, 10-20nm	OD: 10-20nm		
	Length: <30μm		
	SSA: >180m ² /g		
	Color: Black		
	Min Order: 10g		
TNM3	Purified MWCNTs	\$2.5/g	<50g
MWCNTs	Purity:>98wt%	\$1.8/g	50g-500g
98%, 10-20nm	OD: 10-20nm	\$1.0/g	500g-5kg
	Length: 10-30μm		

SSA: >100m²/g
 ASH: <2wt%
 EC:>100s/cm
 Making method:CVD
 Color: Black
 Min Order: 10g

TNM5	Purified MWCNTs	\$2.5/g	<50g
MWCNTs	Purity:>98wt%	\$1.8/g	50g-500g
98%, 20-30nm	OD:20-30nm	\$1.0/g	500g-5kg

Length: 10-30μm
 SSA: >110m²/g
 ASH: <2wt%
 EC:>100s/cm
 Making method:CVD
 Color: Black
 Min Order: 10g

TNM7	Purified MWCNTs	\$2.5/g	<50g
MWCNTs	Purity:>98wt%	\$1.8/g	50g-500g
98%, 30-50nm	OD: 30-50nm	\$1.0/g	500g-5kg

Length: <10μm
 SSA: >80m²/g
 ASH: <2wt%
 EC:>100s/cm
 Making method:CVD
 Color: Black
 Min Order: 10g

TNM8	Purified MWCNTs	\$2.5/g	<50g
MWCNTs	Purity:>98wt%	\$1.8/g	50g-500g
98%, 30-80nm	OD: 30-80nm	\$1.0/g	500g-5kg

Length: <10μm
 SSA: >60m²/g
 ASH: <2wt%
 EC:>100s/cm
 Making method:CVD
 Color: Black
 Min Order: 10g

TNMH0	Purified MWCNTs, -OH functionalized	\$7/g	<50g
MWCNTs	Purity:>98wt%	\$5/g	50g-500g
98%	OD: 4-8nm		

Length: 10-20μm
 SSA: 350-550m²/g
 ASH: <2wt%
 EC:>100s/cm
 Making method:CVD

Min Order: 10g

TNMPH1	Purified MWCNTs, -OH functionalized	\$7/g	<50g
MWCNTs	Purity:>99wt%	\$5/g	50g-500g
-OH	OD: 5-15nm		
Functionalized	Length: 10-30μm		
99%	SSA: 220-300m ² /g		
	ASH: <1wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 10g		
TNMFH1	Purified MWCNTs, -OH functionalized	\$5.2/g	<50g
MWCNTs	Purity:>98wt%	\$4.5/g	50g-500g
-OH	-OH Content:5.58wt%	\$3.5/g	500g-5kg
Functionalized	OD: 5-15nm	\$2.2/g	5kg-50kg
98%	Length: 10-30μm		
	SSA: 220-300m ² /g		
	ASH: <2wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 10g		
TNMFH2	Purified MWCNTs, -OH functionalized	\$5.2/g	<50g
MWCNTs	Purity:>95wt%	\$4.5/g	50g-500g
-OH	-OH Content:3.70wt%	\$3.5/g	500g-5kg
Functionalized	OD: 8-15nm	\$2.2/g	5kg-50kg
95%, 8-15nm	Length: ~50μm		
	SSA: >130m ² /g		
	ASH: <5wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 10g		
TNMFH3	High-Electrical Conductivity MWCNTs	\$7/g	<50g
-OH MWCNTs	Purity:>85wt%	\$5/g	50g-500g
90%, 10-20nm	OD: 10-20nm		
	Length: <30μm		
	SSA: >180m ² /g		
	Color: Black		
	Min Order: 10g		
TNMFH3	Purified MWCNTs, -OH functionalized	\$3.8/g	<50g
MWCNTs	Purity:>98wt%	\$3.0/g	50g-500g
-OH	-OH Content:3.06wt%	\$1.8/g	500g-5kg
Functionalized	OD: 10-20nm	\$1.5/g	5kg-50kg

98%, 10-20nm
 Length: 10-30 μ m
 SSA: >100m²/g
 ASH: <2wt%
 EC:>100s/cm
 Making method:CVD
 Color: Black
 Min Order: 10g

TNMH5	Purified MWCNTs, -OH functionalized	\$3.8/g	<50g
MWCNTs	Purity:>98wt%	\$3.0/g	50g-500g
-OH	-OH Content:1.76wt%	\$1.8/g	500g-5kg
Functionalized	OD:20-30nm	\$1.5/g	5kg-50kg

98%, 20-30nm
 Length: 10-30 μ m
 SSA: >110m²/g
 ASH: <2wt%
 EC:>100s/cm
 Making method:CVD
 Color: Black
 Min Order: 10g

TNMH7	Purified MWCNTs, -OH functionalized	\$3.8/g	<50g
MWCNTs	Purity:>98wt%	\$3.0/g	50g-500g
-OH	-OH Content:1.06wt%	\$1.8/g	500g-5kg
Functionalized	OD: 30-50nm	\$1.5/g	5kg-50kg

98%, 30-50nm
 Length: <10 μ m
 SSA: >100m²/g
 ASH: <2wt%
 EC:>100s/cm
 Making method:CVD
 Color: Black
 Min Order: 10g

TNMH8	Purified MWCNTs, -OH functionalized	\$3.8/g	<50g
MWCNTs	Purity:>98wt%	\$3.0/g	50g-500g
-OH	-OH Content:0.71wt%	\$1.8/g	500g-5kg
Functionalized	OD: 30-80nm	\$1.5/g	5kg-50kg

98%, 30-80nm
 Length: <10 μ m
 SSA: >60m²/g
 ASH: <2wt%
 EC:>100s/cm
 Making method:CVD
 Color: Black
 Min Order: 10g

TNMC0	Purified MWCNTs, -COOH functionalized	\$7/g	<50g
MWCNTs	Purity:>98wt%	\$5/g	50g-500g
98%	OD: 4-8nm		
	Length: 10-20 μ m		

SSA: 350-550m²/g
 ASH: <2wt%
 EC:>100s/cm
 Making method:CVD
 Min Order: 10g

TNMP1	Purified MWCNTs, -OH functionalized	\$7/g	<50g
MWCNTs	Purity:>99wt%	\$5/g	50g-500g
-COOH	OD: 5-15nm		
Functionalized	Length: 10-30μm		
99%	SSA: 220-300m ² /g		
	ASH: <1wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 10g		
TNMC1	Purified MWCNTs, -COOH functionalized	\$5.2/g	<50g
MWCNTs	Purity:>98wt%	\$4.5/g	50g-500g
-COOH	-COOH Content: 3.86wt%	\$3.5/g	500g-5kg
Functionalized	OD: 5-15nm	\$2.2/g	5kg-50kg
98%	Length: 10-30μm		
	SSA: 220-300m ² /g		
	ASH: <2wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 10g		
TNMC2	Purified MWCNTs, -COOH functionalized	\$5.2/g	<50g
MWCNTs	Purity:>95wt%	\$4.5/g	50g-500g
-COOH	-COOH Content: 2.56wt%	\$3.5/g	500g-5kg
Functionalized	OD: 8-15nm	\$2.2/g	5kg-50kg
95%, 8-15nm	Length: ~50μm		
	SSA: >130m ² /g		
	ASH: <5wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
TNEMC3	High-Electrical Conductivity MWCNTs	\$7/g	<50g
-COOH	Purity:>85wt%	\$5/g	50g-500g
MWCNTs	OD: 10-20nm		
90%, 10-20nm	Length: <30μm		
	SSA: >180m ² /g		
	Color: Black		
	Min Order: 10g		

TNMC3	Purified MWCNTs, -COOH functionalized	\$3.8/g	<50g
MWCNTs	Purity:>98wt%	\$3.0/g	50g-500g
-COOH	-COOH Content: 2.00wt%	\$1.8/g	500g-5kg
Functionalized	OD: 10-20nm	\$1.5/g	5kg-50kg
98%, 10-20nm	Length: 10-30μm		
	SSA: >90m ² /g		
	ASH: <2wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 10g		
TNMC5	Purified MWCNTs, -COOH functionalized	\$3.8/g	<50g
MWCNTs	Purity:>98wt%	\$3.0/g	50g-500g
-COOH	-COOH Content:1.23wt%	\$1.8/g	500g-5kg
Functionalized	OD:20-30nm	\$1.5/g	5kg-50kg
98%, 20-30nm	Length: 10-30μm		
	SSA: >110m ² /g		
	ASH: <2wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 10g		
TNMC7	Purified MWCNTs, -COOH functionalized	\$3.8/g	<50g
MWCNTs	Purity:>98wt%	\$3.0/g	50g-500g
-COOH	-COOH Content: 0.73wt%	\$1.8/g	500g-5kg
Functionalized	OD: 30-50nm	\$1.5/g	5kg-50kg
98%, 30-50nm	Length: <10μm		
	SSA: >90m ² /g		
	ASH: <2wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 10g		
TNMC8	Purified MWCNTs, -COOH functionalized	\$3.8/g	<50g
MWCNTs	Purity:>98wt%	\$3.0/g	50g-500g
-COOH	-COOH Content: 0.49wt%	\$1.8/g	500g-5kg
Functionalized	OD: 30-80nm	\$1.5/g	5kg-50kg
98%	Length: <10μm		
	SSA: >60m ² /g		
	ASH: <2wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 10g		

4.2 Short Purified Multi-walled carbon nanotubes (purity:>98%)

Product Model	Description	Price	
TNSM0	Short Purified MWCNTs	\$10/g	<50g
MWCNTs	Purity:>98wt%	\$8.5/g	50g-500g
98%	OD: 4-8nm Length: 0.5-2 μ m SSA: 380-550m ² /g ASH: <2wt% EC:>100s/cm Making method:CVD Min Order: 5g		
TNSM1	Short Purified MWCNTs	\$8.0/g	<50g
MWCNTs	Purity:>98wt%	\$7.5/g	50g-500g
Length-tailored	OD: 5-15nm	\$6.2/g	500g-5kg
98%	Length: 0.5-2 μ m SSA: >270m ² /g ASH: <2wt% EC:>100s/cm Making method:CVD Color: Black Min Order: 5g	\$4.8/g	5kg-50kg
TNSMP1	Short Purified MWCNTs	\$10/g	<50g
MWCNTs	Purity:>99wt%	\$8.5/g	50g-500g
Length-tailored	OD:5-15nm		
99%, 5-15nm	Length: 0.5-2 μ m SSA: >250m ² /g ASH: <1wt% EC:>100s/cm Making method:CVD Color: Black Min Order: 5g		
TNSM2	Short Purified MWCNTs	\$8.0/g	<50g
MWCNTs	Purity:>95wt%	\$7.5/g	50g-500g
Length-tailored	OD: 8-15nm	\$6.2/g	500g-5kg
95%, 8-15nm	Length: 0.5-2 μ m SSA: >160m ² /g ASH: <5wt% EC:>100s/cm Making method:CVD Color: Black Min Order: 5g	\$4.8/g	5kg-50kg
TNSM3	Short Purified MWCNTs	\$6.0/g	<50g

MWCNTs	Purity:>98wt%	\$4.5/g	50g-500g
Length-tailored	OD: 10-20nm	\$3.8/g	500g-5kg
98%, 10-20nm	Length: 0.5-2μm	\$2.5/g	5kg-50kg
	SSA: >100m ² /g		
	ASH: <2wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 5g		
TNSM5	Short Purified MWCNTs	\$6.0/g	<50g
MWCNTs	Purity:>98wt%	\$4.5/g	50g-500g
Length-tailored	OD:20-30nm	\$3.8/g	500g-5kg
98%, 20-30nm	Length: 0.5-2μm	\$2.5/g	5kg-50kg
	SSA: >120m ² /g		
	ASH: <2wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 5g		
TNSM7	Short Purified MWCNTs	\$6.0/g	<50g
MWCNTs	Purity:>98wt%	\$4.5/g	50g-500g
Length-tailored	OD: 30-50nm	\$3.8/g	500g-5kg
98%, 30-50nm	Length: 0.5-2μm	\$2.5/g	5kg-50kg
	SSA: >80m ² /g		
	ASH: <2wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 5g		
TNSM8	Short Purified MWCNTs	\$6.0/g	<50g
MWCNTs	Purity:>98wt%	\$4.5/g	50g-500g
Length-tailored	OD: 30-80nm	\$3.8/g	500g-5kg
98%	Length: 0.5-2μm	\$2.5/g	5kg-50kg
	SSA: >70m ² /g		
	ASH: <2wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 5g		
TNSMH0	Short Purified MWCNTs, -OH functionalized	\$12/g	<50g
MWCNTs	Purity:>98wt%	\$10/g	50g-500g
98%	OD: 4-8nm		
	Length: 0.5-2μm		
	SSA: 380-550m ² /g		

ASH: <2wt%
EC:>100s/cm
Making method:CVD
Min Order: 5g

TNSMH1	Short Purified MWCNTs, -OH functionalized	\$10.0/g	<50g
MWCNTs	Purity:>98wt%	\$9.0/g	50g-500g
Length-tailored	-OH Content:5.58wt%	\$7.8/g	500g-5kg
-OH	OD: 5-15nm	\$6.0/g	5kg-50kg
Functionalized	Length: 0.5-2μm		
98%	SSA: >270m ² /g		
	ASH: <2wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 5g		
TNSMH2	Short Purified MWCNTs, -OH functionalized	\$10.0/g	<50g
MWCNTs	Purity:>95wt%	\$9.0/g	50g-500g
Length-tailored	-OH Content:3.70wt%	\$7.8/g	500g-5kg
-OH	OD: 8-15nm	\$6.0/g	5kg-50kg
Functionalized	Length: 0.5-2μm		
95%, 8-15nm	SSA: >160m ² /g		
	ASH: <5wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 5g		
TNSMH3	Short Purified MWCNTs, -OH functionalized	\$7.5/g	<50g
MWCNTs	Purity:>98wt%	\$5.8/g	50g-500g
Length-tailored	-OH Content:3.06wt%	\$4.6/g	500g-5kg
-OH	OD: 10-20nm	\$3.2/g	5kg-50kg
Functionalized	Length: 0.5-2μm		
98%, 10-20nm	SSA: >100m ² /g		
	ASH: <2wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 5g		
TNSMH5	Short Purified MWCNTs, -OH functionalized	\$7.5/g	<50g
MWCNTs	Purity:>98wt%	\$5.8/g	50g-500g
Length-tailored	-OH Content:1.76wt%	\$4.6/g	500g-5kg
-OH	OD:20-30nm	\$3.2/g	5kg-50kg
Functionalized	Length: 0.5-2μm		
98%, 20-30nm	SSA: >160m ² /g		
	ASH: <2wt%		

EC:>100s/cm
Making method:CVD
Color: Black
Min Order: 5g

TNSMH7	Short Purified MWCNTs, -OH functionalized	\$7.5/g	<50g
MWCNTs	Purity:>98wt%	\$5.8/g	50g-500g
Length-tailored	-OH Content:1.06wt%	\$4.6/g	500g-5kg
-OH	OD: 30-50nm	\$3.2/g	5kg-50kg
Functionalized	Length:0.5-2μm		
98%, 30-50nm	SSA: >80m ² /g		
	ASH: <2wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 5g		
TNSMH8	Short Purified MWCNTs, -OH functionalized	\$7.5/g	<50g
MWCNTs	Purity:>98wt%	\$5.8/g	50g-500g
Length-tailored	-OH Content:0.71wt%	\$4.6/g	500g-5kg
-OH	OD: 30-80nm	\$3.2/g	5kg-50kg
Functionalized	Length: 0.5-2μm		
98%, 30-80nm	SSA: >70m ² /g		
	ASH: <2wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 5g		
TNSMC0	Short Purified MWCNTs, -COOH functionalized	\$12/g	<50g
MWCNTs	Purity:>98wt%	\$10/g	50g-500g
98%	OD: 4-8nm		
	Length: 0.5-2μm		
	SSA: 380-550m ² /g		
	ASH: <2wt%		
	EC:>100s/cm		
	Making method:CVD		
	Min Order:5g		
TNSMC1	Short Purified MWCNTs, -COOH functionalized	\$10.0/g	<50g
MWCNTs	Purity:>98wt%	\$9.0/g	50g-500g
Length-tailored	-COOH Content: 3.86wt%	\$7.8/g	500g-5kg
-COOH	OD: 5-15nm	\$6.0/g	5kg-50kg
Functionalized	Length: 0.5-2μm		
98%	SSA: >270m ² /g		
	ASH: <2wt%		
	EC:>100s/cm		
	Making method:CVD		

Color: Black

Min Order: 5g

TNSMC2	Short Purified MWCNTs, -COOH functionalized	\$10.0/g	<50g
MWCNTs	Purity:>95wt%	\$9.0/g	50g-500g
Length-tailored	-COOH Content: 2.56wt%	\$7.8/g	500g-5kg
-COOH	OD: 8-15nm	\$6.0/g	5kg-50kg
Functionalized	Length: 0.5-2μm		
95%, 8-15nm	SSA: >160m ² /g		
	ASH: <5wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 5g		
TNSMC3	Short Purified MWCNTs, -COOH functionalized	\$7.5/g	<50g
MWCNTs	Purity:>98wt%	\$5.8/g	50g-500g
Length-tailored	-COOH Content: 2.00wt%	\$4.6/g	500g-5kg
-COOH	OD: 10-20nm	\$3.2/g	5kg-50kg
Functionalized	Length: 0.5-2μm		
98%, 10-20nm	SSA: >100m ² /g		
	ASH: <2wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 5g		
TNSMC5	Short Purified MWCNTs, -COOH functionalized	\$7.5/g	<50g
MWCNTs	Purity:>98wt%	\$5.8/g	50g-500g
Length-tailored	-COOH Content: 1.23wt%	\$4.6/g	500g-5kg
-COOH	OD:20-30nm	\$3.2/g	5kg-50kg
Functionalized	Length: 0.5-2μm		
98%, 20-30nm	SSA: >150m ² /g		
	ASH: <2wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 5g		
TNSMC7	Short Purified MWCNTs, -COOH functionalized	\$7.5/g	<50g
MWCNTs	Purity:>98wt%	\$5.8/g	50g-500g
Length-tailored	-COOH Content: 0.73wt%	\$4.6/g	500g-5kg
-COOH	OD: 30-50nm	\$3.2/g	5kg-50kg
Functionalized	Length:0.5-2μm		
98%, 30-50nm	SSA: >80m ² /g		
	ASH: <2wt%		
	EC:>100s/cm		
	Making method:CVD		

Color: Black

Min Order: 5g

TNSMC8	Short Purified MWCNTs, -COOH functionalized	\$7.5/g	<50g
MWCNTs	Purity:>98wt%	\$5.8/g	50g-500g
Length-tailored	-COOH Content: 0.49wt%	\$4.6/g	500g-5kg
-COOH	OD: 30-80nm	\$3.2/g	5kg-50kg
Functionalized	Length: 0.5-2μm		
98%	SSA: >70m ² /g		
	ASH: <2wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 5g		

4.3 Graphitized Multi-walled carbon nanotubes (purity:>99%)

Product Model	Description	Price	
TNGM2	Graphitized MWCNTs	\$5.2/g	<50g
MWCNTs	Purity:>99wt%	\$4.2/g	50g-500g
Graphitized	OD: 8-15nm	\$3.7/g	500g-5kg
99%, 8-15nm	Length: 10-50μm	\$3.0/g	5kg-50kg
	SSA: >90m ² /g		
	ASH: <1wt%		
	Making method:CVD		
	Heat treatment temperature:2800℃		
	Color: Black		
	Min Order: 10g		
TNGM3	Graphitized MWCNTs	\$5.2/g	<50g
MWCNTs	Purity:>99wt%	\$3.6/g	50g-500g
Graphitized	OD: 10-20nm	\$3.0/g	500g-5kg
99%, 10-20nm	Length: 5-30μm		
	SSA: >80m ² /g		
	ASH: <1wt%		
	Making method:CVD		
	Heat treatment temperature:2800℃		
	Color: Black		
	Min Order: 10g		
TNGM5	Graphitized MWCNTs	\$5.2/g	<50g
MWCNTs	Purity:>99wt%	\$3.6/g	50g-500g
Graphitized	OD:20-30nm	\$3.0/g	500g-5kg
99%, 20-30nm	Length: 5-30μm		
	SSA: >50m ² /g		
	ASH: <1wt%		
	Making method:CVD		

Heat treatment temperature:2800℃

Color: Black

Min Order: 10g

TNGM7	Graphitized MWCNTs	\$5.2/g	<50g
MWCNTs	Purity:>99wt%	\$3.6/g	50g-500g
Graphitized	OD: 30-50nm	\$3.0/g	500g-5kg
99%, 30-50nm	Length: <10μm		
	SSA: >50m ² /g		
	ASH: <1wt%		
	Making method:CVD		
	Heat treatment temperature:2800℃		
	Color: Black		
	Min Order: 10g		
TNGM8	Graphitized MWCNTs	\$5.2/g	<50g
MWCNTs	Purity:>99wt%	\$3.6/g	50g-500g
Graphitized	OD: 30-80nm	\$3.0/g	500g-5kg
99%	Length: <10μm		
	SSA: >60m ² /g		
	ASH: <1wt%		
	Making method:CVD		
	Heat treatment temperature:2800℃		
	Color: Black		
	Min Order: 10g		
TNGMH2	Graphitized MWCNTs, -OH functionalized	\$6.8/g	<50g
MWCNTs	Purity:>99wt%	\$5.5/g	50g-500g
Graphitized	-OH Content:1.85wt%	\$4.8/g	500g-5kg
-OH	OD: 8-15nm	\$3.9/g	5kg-50kg
Functionalized	Length: 10-50μm		
99%, 8-15nm	SSA: >90m ² /g		
	ASH: <1wt%		
	EC:100s/cm		
	Making method:CVD		
	Heat treatment temperature:2800℃		
	Color: Black		
	Min Order: 10g		
TNGMH3	Graphitized MWCNTs, -OH functionalized	\$6.8/g	<50g
MWCNTs	Purity:>99wt%	\$4.7/g	50g-500g
Graphitized	-OH Content: 1.53wt%	\$3.9/g	500g-5kg
-OH	OD: 10-20nm	\$3.2/g	5kg-50kg
Functionalized	Length: 5-30μm		
99%, 10-20nm	SSA: >80m ² /g		
	ASH: <1wt%		
	EC:100s/cm		
	Making method:CVD		

Heat treatment temperature:2800℃

Color: Black

Min Order: 10g

TNGMH5	Graphitized MWCNTs, -OH functionalized	\$6.8/g	<50g
MWCNTs	Purity:>99wt%	\$4.7/g	50g-500g
Graphitized	-OH Content: 0.88wt%	\$3.9/g	500g-5kg
-OH	OD:20-30nm	\$3.2/g	5kg-50kg
Functionalized	Length: 5-30μm		
99%, 20-30nm	SSA: >50m ² /g		
	ASH: <1wt%		
	EC:100s/cm		
	Making method:CVD		
	Heat treatment temperature:2800℃		
	Color: Black		
	Min Order: 10g		
TNGMH7	Graphitized MWCNTs, -OH functionalized	\$6.8/g	<50g
MWCNTs	Purity:>99wt%	\$4.7/g	50g-500g
Graphitized	-OH Content: 0.53wt%	\$3.9/g	500g-5kg
-OH	OD: 30-50nm	\$3.2/g	5kg-50kg
Functionalized	Length: <10μm		
99%, 30-50nm	SSA: >50m ² /g		
	ASH: <1wt%		
	EC:100s/cm		
	Making method:CVD		
	Heat treatment temperature:2800℃		
	Color: Black		
	Min Order: 10g		
TNGMH8	Graphitized MWCNTs, -OH functionalized	\$6.8/g	<50g
MWCNTs	Purity:>99wt%	\$4.7/g	50g-500g
Graphitized	-OH Content: 0.36wt%	\$3.9/g	500g-5kg
-OH	OD: 30-80nm	\$3.2/g	5kg-50kg
Functionalized	Length: <10μm		
99%	SSA: >50m ² /g		
	ASH: <1wt%		
	EC:100s/cm		
	Making method:CVD		
	Heat treatment temperature:2800℃		
	Color: Black		
	Min Order: 10g		
TNGMC2	Graphitized MWCNTs, -COOH functionalized	\$6.8/g	<50g
MWCNTs	Purity:>99wt%	\$5.5/g	50g-500g
Graphitized	-COOH Content: 1.28wt%	\$4.8/g	500g-5kg
-COOH	OD: 8-15nm	\$3.9/g	5kg-50kg
Functionalized	Length:10-50μm		

99%, 8-15nm
 SSA: >90m²/g
 ASH: <1wt%
 EC:100s/cm
 Making method:CVD
 Heat treatment temperature:2800°C
 Color: Black
 Min Order: 10g

TNGMC3	Graphitized MWCNTs, -COOH functionalized	\$6.8/g	<50g
MWCNTs	Purity:>99wt%	\$4.7/g	50g-500g
Graphitized	-COOH Content: 1.00wt%	\$3.9/g	500g-5kg
-COOH	OD: 10-20nm	\$3.2/g	5kg-50kg

Functionalized
 99%, 10-20nm
 SSA: >80m²/g
 ASH: <1wt%
 EC:100s/cm
 Making method:CVD
 Heat treatment temperature:2800°C
 Color: Black
 Min Order: 10g

TNGMC5	Graphitized MWCNTs, -COOH functionalized	\$6.8/g	<50g
MWCNTs	Purity:>99wt%	\$4.7/g	50g-500g
Graphitized	-COOH Content: 0.61wt%	\$3.9/g	500g-5kg
-COOH	OD:20-30nm	\$3.2/g	5kg-50kg

Functionalized
 99%, 20-30nm
 SSA: >50m²/g
 ASH: <1wt%
 EC:100s/cm
 Making method:CVD
 Heat treatment temperature:2800°C
 Color: Black
 Min Order: 10g

TNGMC7	Graphitized MWCNTs, -COOH functionalized	\$6.8/g	<50g
MWCNTs	Purity:>99wt%	\$4.7/g	50g-500g
Graphitized	-COOH Content: 0.36wt%	\$3.9/g	500g-5kg
-COOH	OD: 30-50nm	\$3.2/g	5kg-50kg

Functionalized
 99%, 30-50nm
 SSA: >50m²/g
 ASH: <1wt%
 EC:100s/cm
 Making method:CVD
 Heat treatment temperature:2800°C
 Color: Black
 Min Order: 10g

TNGMC8	Graphitized MWCNTs, -COOH functionalized	\$6.8/g	<50g
---------------	---	---------	------

MWCNTs	Purity:>99wt%	\$4.7/g	50g-500g
Graphitized	-COOH Content: 0.25wt%	\$3.9/g	500g-5kg
-COOH	OD: 30-80nm	\$3.2/g	5kg-50kg
Functionalized	Length: <10μm		
99%	SSA: >50m ² /g		
	ASH: <1wt%		
	EC:100s/cm		
	Making method:CVD		
	Heat treatment temperature:2800℃		
	Color: Black		
	Min Order: 10g		

4.4 Ni Coated Multi-walled carbon nanotubes

Product Model	Description	Price	
TNNiM2	Ni Coated MWCNTs	\$6.7/g	<50g
MWCNTs	OD: 8-15nm	\$5.3/g	50g-500g
Ni Coated	Length: ~50μm	\$3.8/g	500g-5kg
8-15nm	CNTs Content : >38wt%		
	Ni Content: >60wt%		
	Making method:CVD		
	Color: Black		
	Min Order: 10g		
TNNiM3	Ni Coated MWCNTs	\$5.0/g	<50g
MWCNTs	OD: 10-20nm	\$4.2/g	50g-500g
Ni Coated	Length: 10-30μm	\$3.5/g	500g-5kg
10-20nm	CNTs Content : >38wt%		
	Ni Content: >60wt%		
	Making method:CVD		
	Color: Black		
	Min Order: 10g		
TNNiM5	Ni Coated MWCNTs	\$5.0/g	<50g
MWCNTs	OD:20-30nm	\$4.2/g	50g-500g
Ni Coated	Length: 10-30μm	\$3.5/g	500g-5kg
20-30nm	CNTs Content : >38wt%		
	Ni Content: >60wt%		
	Making method:CVD		
	Color: Black		
	Min Order: 10g		
TNNiM7	Ni Coated MWCNTs	\$5.0/g	<50g
MWCNTs	OD: 30-50nm	\$4.2/g	50g-500g
Ni Coated	Length: <10μm	\$3.5/g	500g-5kg
30-50nm	CNTs Content : >38wt%		

Ni Content: >60wt%
 Making method:CVD
 Color: Black
 Min Order: 10g

TNNiM8	Ni Coated MWCNTs	\$5.0/g	<50g
MWCNTs	OD: 30-80nm	\$4.2/g	50g-500g
Ni Coated	Length: <10μm	\$3.5/g	500g-5kg
30-80nm	CNTs Content : >38wt%		
	Ni Content: >60wt%		
	Making method:CVD		
	Color: Black		
	Min Order: 10g		

4.5 Other Special Multi-walled carbon nanotubes

Product Model	Description	Price	
TNLIM	Large-inner Thin-walled MWCNTs	\$6.5/g	<50g
MWCNTs	Purity:>60wt%	\$4.8/g	50g-500g
Large-inner	OD: 30-60nm		
Thin-wall	Length: 1-10μm		
70%,30-60nm	SSA: >100m ² /g		
	ASH: <2.0wt%		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 10g		
TNFIM	Flash-ignited MWCNTs	\$8.2/g	<50g
MWCNTs	OD:2-50nm	\$7.0/g	50g-500g
Flash-ignited	Length:~50 μm	Negotiable	500g-5kg
2-50nm	Fe content: <25%		
	CNT content:>50%		
	SSA: >300m ² /g		
	EC:>100s/cm		
	Making method:CVD		
	Min Order: 10g		
TNAIM	Aligned MWCNTs	\$6.5g	<50g
MWCNTs	Purity:>98wt%	\$4.8/g	50g-500g
Aligned	OD:10-20nm	Negotiable	500g-5kg
10-20nm	Length: 30-100 μm		
	SSA: >150m ² /g		
	ASH: <2.0wt%		
	Ignited Temperature: 661 °C		

EC:>100s/cm
Making method:CVD
Color: Black
Min Order: 10g

TNHIM	Helical MWCNTs	\$6.5/g	<50g
MWCNTs	OD: 100-200nm	\$4.8/g	50g-500g
Helical	Length: 1-10 μ m	Negotiable 500g-5kg	
100-200nm	CNTs Content : >90wt%		
	Helical CNTs Content: >60wt%		
	SSA: >30m ² /g		
	ASH: <5.0wt%		
	Ignited Temperature: 560-600°C		
	Making method:CVD		
	Min Order: 10g		
TNMN2	MWCNTs, -NH₂ functionalized	\$6.5/g	<50g
MWCNTs	Purity:>95wt%	\$4.8/g	50g-500g
-NH ₂	-NH ₂ Content: 0.45wt%	Negotiable 500g-5kg	
Functionalized	OD: 8-15nm		
95%, 8-15nm	Length: ~50 μ m		
	SSA: >233m ² /g		
	ASH: <1.5wt%		
	EC: >100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 10g		
TNWCF	Carbon Nano Fibers	\$2.5/g	<50g
	Purity:>95wt%	\$1.8/g	50g-500g
	OD: 50-200nm	\$0.7/g	500g-5kg
	Length: 1-15 μ m		
	EC:>100s/cm		
	Making method:CVD		
	Appearance: Black Powder		
	Min Order: 10g		
TNWCFH	-OH Carbon Nano Fibers	\$4.2/g	<50g
	Purity:>95wt%	\$2.5/g	50g-500g
	OD: 50-200nm	\$1.3-1.7/g	500g-5kg
	Length: 1-15 μ m		
	EC:>100s/cm		
	Making method:CVD		
	Appearance: Black Powder		
	Min Order: 10g		
TNWCFC	-COOH Carbon Nano Fibers	\$4.2/g	<50g
	Purity:>95wt%	\$2.5/g	50g-500g
	OD: 50-200nm	\$1.3-1.7/g	500g-5kg

Length: 1-15 μ m
EC:>100s/cm
Making method:CVD
Appearance: Black Powder
Min Order: 10g

TNWCFN	-NH₂ Carbon Nano Fibers	\$6.5/g	<50g
	Purity:>95wt%	\$4.8/g	50g-500g
	OD: 50-200nm	\$3.3-4.3/g	500g-5kg
	Length: 1-15 μ m		
	EC:>100s/cm		
	Making method:CVD		
	Appearance: Black Powder		
	Min Order: 10g		
TNGCF	Carbon Nano Fibers	\$3.3/g	<50g
	Purity:>99.9wt%	\$2.3/g	50g-500g
	OD: 50-200nm	\$1/g	500g-5kg
	Length: 1-15 μ m		
	EC:>100s/cm		
	Making method:CVD		
	Appearance: Black Powder		
	Min Order: 10g		
TNMCN7	N-doped MWCNTs	\$6.5/g	<50g
N-doped	Purity:>98wt%	\$4.8/g	50g-500g
MWCNTs	N Content: >2.5 wt%		
98%,30-80nm	OD: 30-80 nm		
	Length: 10-30 μ m		
	SSA: >30m ² /g		
	Ignited temperature: 460°C		
	EC:>100s/cm		
	Making method:CVD		
	Color: Black		
	Min Order: 10g		

5 Industrial MWCNTs Products

Product Model	Description	Price	
TNIM190F	Industrial MWCNTs	\$150/kg	1-10kg
MWCNTs	Purity:>95wt%	\$83/kg	10-100kg
Industrial	OD: 4-8nm	Negotiable >100kg	
95%,4-8nm	Length: 10-20 μ m		
	SSA: 350-550m ² /g		
	Making method:CVD		
	Color: Black		

Min Order: 1kg

TNIM190FC	Industrial –COOH Functionalized MWCNTs	\$250/kg	1-10kg
MWCNTs	Purity:>95wt%	\$166/kg	10-100kg
Industrial	OD: 4-8nm	Negotiable	>100kg
95%,4-8nm	Length: 10-20μm		
	Making method:CVD		
	Color: Black		
	Min Order: 1kg		
TNIM1	Industrial MWCNTs	\$83/kg	1-10kg
MWCNTs	Purity:>95wt%	\$50/kg	10-100kg
Industrial	OD: 5-15nm	Negotiable	>100kg
95%,5-15nm	Length: 10-30μm		
	SSA: 220-300m ² /g		
	ASH: <3.0wt%		
	Making method:CVD		
	Color: Black		
	Min Order: 1kg		
TNIMH1	Industrial –OH Functionalized MWCNTs	\$170/kg	1-10kg
MWCNTs	Purity:>95wt%	\$100/kg	10-100kg
Industrial	OD: 5-15nm	Negotiable	>100kg
95%,5-15nm	Length: 10-30μm		
	ASH: <3.0wt%		
	Making method:CVD		
	Color: Black		
	Min Order: 1kg		
TNIMC1	Industrial –COOH Functionalized MWCNTs	\$200/kg	1-10kg
MWCNTs	Purity:>95wt%	\$133/kg	10-100kg
Industrial	OD: 5-15nm	Negotiable	>100kg
95%,5-15nm	Length: 10-30μm		
	ASH: <3.0wt%		
	Making method:CVD		
	Color: Black		
	Min Order: 1kg		
TNIMP1	Industrial MWCNTs	\$100/kg	1-10kg
MWCNTs	Purity:>96wt%	\$66/kg	10-100kg
Industrial	OD: 5-15nm	Negotiable	>100kg
96%,5-15nm	Length: 10-30μm		
	ASH: <4.0wt%		
	Making method:CVD		
	Color: Black		
	Min Order: 1kg		
TNIM2	Industrial MWCNTs	\$100/kg	1-10kg
MWCNTs	Purity:>95wt%	\$50/kg	10-100kg
Industrial	OD: 8-15nm	Negotiable	>100kg

95%, 8-15nm
Length: 30-50 μ m
SSA: >230m²/g
ASH: <3.0wt%
Making method:CVD
Color: Black
Min Order: 1kg

TNIMC2	Industrial –COOH Functionalized MWCNTs	\$200/kg 1-10kg
MWCNTs	Purity:>95wt%	\$133/kg 10-100kg
Industrial	OD: 8-15nm	Negotiable >100kg

95%, 8-15nm
Length: 30-50 μ m
ASH: <3.0wt%
Making method:CVD
Min Order: 1kg

TNIM298F	Industrial MWCNTs	\$100/kg 1-10kg
MWCNTs	Purity:>95wt%	\$66/kg 10-100kg
Industrial	OD: 8-15nm	Negotiable >100kg

95%, 8-15nm
Length: 30-50 μ m
ASH: <2.0wt%
Making method:CVD
Min Order: 1kg

TNVM3	Industrial Vertically Aligned MWCNTs	\$1.7/g 100-500g
MWCNTs	Purity:>85wt%	\$1/g 500-1000g
Industrial	OD:10-20nm	\$0.7/g >1kg

85%,10-20nm
Length: 10-20 μ m
SSA: 180-220m²/g
Making method:CVD
Color: Black
Min Order:100g

TNIM3	Industrial MWCNTs	\$83/kg 1-10kg
MWCNTs	Purity:>95wt%	\$50/kg 10-100kg
Industrial	OD: 10-20nm	Negotiable >100kg

95%, 10-20nm
Length: 20-100 μ m
SSA: >150m²/g
ASH: <3.0wt%
Making method:CVD
Color: Black
Min Order: 1kg

TNMF-6	Industrial MWCNTs	\$100/kg 1-10kg
MWCNTs	Purity:>95wt%	\$66/kg 10-100kg
Industrial	OD: 10-20nm	Negotiable >100kg

95%, 10-20nm
Length: 5-20 μ m
SSA: >120m²/g

TNIM4	Industrial MWCNTs	\$117/kg 1-10kg
--------------	--------------------------	-----------------

MWCNTs Industrial 95%, 10-30nm	Purity:>95wt% OD: 10-30nm Length: 10-30μm SSA: >110m ² /g ASH: <5.0wt% Making method:CVD Color: Black Min Order: 1kg	\$83/kg 10-100kg Negotiable >100kg
TNIM6 MWCNTs Industrial 95%, 20-40nm	Industrial MWCNTs Purity:>95wt% OD: 20-40nm Length: 10-30μm SSA: >80m ² /g ASH: <5.0wt% Making method:CVD Color: Black Min Order: 1kg	\$83/kg 1-10kg \$75/kg 10-100kg Negotiable >100kg
TNIM8 MWCNTs Industrial 95%	Industrial MWCNTs Purity:>95wt% OD: 30-80nm Length: <10μm SSA: >60m ² /g ASH: <5.0wt% Making method:CVD Color: Black Min Order: 1kg	\$83/kg 1-10kg \$67/kg 10-100kg Negotiable >100kg
TNIMH4 MWCNTs Industrial -OH Functionalized 95%, 10-30nm	Industrial MWCNTs, -OH functionalized Purity:>95wt% -OH Content: 2.48wt% OD: 10-30nm Length: 10-30μm SSA: >110m ² /g ASH: <5.0wt% Making method:CVD Color: Black Min Order: 1kg	\$200/kg 1-10kg \$120/kg 10-100kg Negotiable >100kg
TNIMH6 MWCNTs Industrial -OH Functionalized 95%, 20-40nm	Industrial MWCNTs, -OH functionalized Purity:>95wt% -OH Content: 1.63 wt% OD: 20-40nm Length: 10-30μm SSA: >80m ² /g ASH: <5.0wt% Making method:CVD	\$166/kg 1-10kg \$110/kg 10-100kg Negotiable >100kg

Color: Black
Min Order: 1kg

TNIMH8	Industrial MWCNTs, -OH functionalized	\$150/kg	1-10kg
MWCNTs	Purity:>95wt%	\$100/kg	10-100kg
Industrial	-OH Content:0.76wt%	Negotiable	>100kg
-OH	OD: 30-80nm		
Functionalized	Length: <10μm		
95%	SSA: >60m ² /g		
	ASH: <5.0wt%		
	Making method:CVD		
	Color: Black		
	Min Order: 1kg		
TNIMC4	Industrial MWCNTs, -COOH functionalized	\$200/kg	1-10kg
MWCNTs	Purity:>95wt%	\$150/kg	10-100kg
Industrial	-COOH Content: 1.55wt%	Negotiable	>100kg
-COOH	OD: 10-30nm		
Functionalized	Length: 10-30μm		
95%, 10-30nm	SSA: >110m ² /g		
	ASH: <5.0wt%		
	Making method:CVD		
	Color: Black		
	Min Order: 1kg		
TNIMC6	Industrial MWCNTs, -COOH functionalized	\$166/kg	1-10kg
MWCNTs	Purity:>95wt%	\$142/kg	10-100kg
Industrial	-COOH Content: 1.43 wt%	Negotiable	>100kg
-COOH	ID: 5-10nm		
Functionalized	OD: 20-40nm		
95%, 20-40nm	Length: 10-30μm		
	SSA: >80m ² /g		
	ASH: <5.0wt%		
	Making method:CVD		
	Color: Black		
	Min Order: 1kg		
TNIMC8	Industrial MWCNTs, -COOH functionalized	\$150/kg	1-10kg
MWCNTs	Purity:>95wt%	\$133/kg	10-100kg
Industrial	-COOH Content: 0.51wt%	Negotiable	>100kg
-COOH	OD: 30-80nm		
Functionalized	Length: <10μm		
95%	SSA: >60m ² /g		
	ASH: <5.0wt%		
	Making method:CVD		
	Color: Black		
	Min Order: 1kg		
TNIMA1	Multi-walled CNTs cylinders	\$100/kg	1-10kg

Outer Diameter: 5-15nm
 Length: 10-30um
 Tap density: 0.15-0.3g/ml
 ASH: $\leq 3.0\%$
 Appearance: Black particles

\$600/kg 10-100kg
 Negotiable >100kg

6 CNTs Cloths

Product Model	Description	Price
TNCP	CNTs Paper Size: Diameter $\Phi 12-13\text{cm}$ Thickness: 60-90um Strength: 10-15Mpa Metal Content: $<1.5\%$ Flexibility: Can be repeated bended Conductivity: $2.5-3.5 \times 10^3 \text{ S/m}$	\$66/piece
TNSP	High-conductivity SWCNTs Film Size: Diameter $\Phi 12-13\text{cm}$ Thickness: 10-20um Strength: 60-120Mpa Metal Content: $<0.5\%$ Flexibility: Can be repeated bended Conductivity: $8 \times 10^4 - 2 \times 10^5 \text{ S/m}$	\$83/piece
TNSP2	High-conductivity magnetic SWCNTs Film Size: Diameter $\Phi 12-13\text{cm}$ Thickness: 10-20um Strength: 60-120Mpa Metal Content: 5% Flexibility: Can be repeated bended Conductivity: $2-6 \times 10^4 \text{ S/m}$	\$83/piece
TNHCF	High-conductivity CNTs Film Size: 10*10cm Thickness: 10-15um Metal Content: $<10\%$ Strength: 60-120MPa Flexibility: Can be repeated bended Conductivity: $3-8 \times 10^4 \text{ S/m}$	\$0.8/cm ²

7 CNTs Fibers

Product Model	Description	Price
TNF400	Carbon Nanotubes Fibers Length: 1-1000 m Diameter : 60-80 μm Strength: 310-500 MPa Modulus: 4-6 GPa Density: 0.5-0.7 g/cm ³ Strain: 5-10% EC: $1 \times 10^5 \sim 2 \times 10^5 \text{ S/m}$	\$100/m

8 CNTs Dispersant / Dispersion / Paste

Product Model	Description	Price
TNWDIS	CNTs Water Dispersant Aromatic modified polyethyleneglycol ether in aqueous solution, Non-volatile matter: 90 %	\$20/50g \$40/100g
TNADIS	CNTs Alcohol Dispersant Powder polymer dispersant	\$20/50g \$40/100g
TNHDIS	CNTs hydrocarbon Dispersant	\$20/50g \$40/100g
TNRDIS	CNTs Resin Dispersant Solution of high 100% active ingredients, especially suitable for carbon nanotubes dispersion in liquid epoxy resin, liquid polyester polyols and other resin systems.	\$20/50g \$40/100g
TNNDIS	CNTs NMP Dispersant White powder dispersant. Especially suitable for carbon nanotubes dispersion in NMP (n-methylpyrrolidone) solvent.	\$20/50g \$40/100g
TNDA-10	CNTs Dispersant For Plastics Appearance: Transparent, flowable liquid	\$33/kg
TNWDS	High Purity SWCNTs Aqueous Dispersion SWNT Content: 0.2 wt% Composition: SWCNT, non-ionic surfactant, H ₂ O Stability: centrifuge treatment for 0.5 hour with 2000 rotation/min	\$100/500g
TNWDSC	-COOH Functionalized High Purified SWCNTs	\$117/500g

	Aqueous Dispersion SWNT-COOH Content:0.2wt% Composition: -COOH SWCNT 、 non-ionic surfactant、 H ₂ O Stability: centrifuge treatment for 0.5 hour with 2000 rotation/min	
TNWDHS	High concentration SWCNTs aqueous dispersion SWNT Content: 0.4 wt% Composition: SWCNT、 surfactant、 H ₂ O Stability: centrifuge treatment for 0.5 hour	\$150/500g
TNNDs	High Purity SWCNTs NMP Dispersion SWNT Content: 0.2-0.3 wt% Composition: SWCNT、 dispersant、 NMP Stability: centrifuge treatment for 0.5 hour with 2000 rotation/min	\$142/500ml
TNDDS	High Purity SWCNTs DMF Dispersion SWNT Content: 0.2-0.3 wt% Composition: SWCNT、 dispersant、 DMF Stability: centrifuge treatment for 0.5 hour with 2000 rotation/min	\$142/500ml
TNEDS	High Purity SWCNTs BA Dispersion SWNT Content: 0.2-0.3 wt% Composition: SWCNT、 dispersant、 BA Stability: centrifuge treatment for 0.5 hour with 2000 rotation/min	\$142/500ml
TNADS	High Purity SWCNTs IPA Dispersion SWNT Content: 0.2-0.3 wt% Composition: SWCNT、 dispersant、 IPA Stability: centrifuge treatment for 0.5 hour with 2000 rotation/min	\$142/500ml
TNACDS	High Purity SWCNTs DMAC Dispersion SWNT Content: 0.2-0.3 wt% Composition: SWCNT、 dispersant、 DMAC Stability: centrifuge treatment for 0.5 hour with 2000 rotation/min	\$142/500ml
TNWDM-M8 CNTs: TNM8	MWCNTs Aqueous Dispersion MWCNTs Content: TNM8 10 wt % OD: 30-80nm Composition:TNM8, non-ionic surfactant, H ₂ O Stability: centrifuge treatment for 0.5 hour with 2000 rotation/min	\$83/500g
TNWDM-M2 CNTs: TNM1	MWCNTs Aqueous Dispersion MWCNTs Content: TNM1 5 wt % OD: 5-15nm	\$83/500g

Composition:TNM1,dispersant , H ₂ O Stability: centrifuge treatment for 0.5 hour with 2000 rotation/min		
TNWDMC-MC8 CNTs: TNMC8	MWCNTs Aqueous Dispersion MWCNTs Content: TNMC8 10 wt % OD: 30-80nm Composition: TNMC8, non-ionic surfactant, H ₂ O Stability: centrifuge treatment for 0.5 hour with 2000 rotation/min	\$100/500g
TNWDMC-MC2 CNTs: TNMC1	MWCNTs Aqueous Dispersion MWCNTs Content: TNMC1 5 wt % OD: 5-15nm Composition:TNMC1, non-ionic surfactant, H ₂ O Stability: centrifuge treatment for 0.5 hour with 2000 rotation/min	\$100/500g
TNDDM-M8 CNTs: TNM8	MWNTs N,N-Dimethylformamide Dispersion MWCNTs Content: TNM8 10 wt % OD: 30-80nm Composition: TNM8, dimethylformamide, dispersants Stability: centrifuge treatment for 0.5 hour with 2000 rotation/min	\$100/500ml
TNDDM-M2 CNTs: TNM1	MWNTs N,N-Dimethylformamide Dispersion MWCNTs Content: TNM1 2 wt % OD: 5-15nm Composition:TNM1, dimethylformamide, dispersants Stability: centrifuge treatment for 0.5 hour with 2000 rotation/min	\$108/500ml
TNNDM-M8 CNTs: TNM8	MWNTs N-Methyl-2-pyrrolidone Dispersion MWCNTs Content: TNM8 9-10wt % OD: 30-80nm Composition: TNM8,NMP, dispersants Stability: centrifuge treatment for 0.5 hour with 2000 rotation/min	\$108/500ml
TNNDM-M2 CNTs: TNM1	MWNTs N-Methyl-2-pyrrolidone Dispersion MWCNTs Content: TNM1 4 wt % OD: 5-15nm Composition:TNM1,NMP, dispersants Stability: centrifuge treatment for 0.5 hour with 2000 rotation/min	\$108/500ml
TNEDM-M8 CNTs: TNM8	MWNTs butyl acetate Dispersion MWCNTs Content: TNM8 8-10wt % OD: 30-80nm	\$108/500ml

Composition:TNM8, butyl acetate, dispersants
 Steability: centrifuge treatment for 0.5 hour with
 2000 rotation/min

TNEDM-M2	MWNTs butyl acetate Dispersion	\$108/500ml
CNTs:	MWCNTs Content:	
TNM1	TNM1 2wt % OD: 5-15nm	
	Composition:TNM1, butyl acetate, dispersants	
	Steability: centrifuge treatment for 0.5 hour with 2000 rotation/min	
TNADM-M8	MWNTs isopropanol Dispersion	\$108/500ml
CNTs:	MWCNTs Content:	
TNM8	TNM8 8-10wt % OD: 30-80nm	
	Composition:TNM8, isopropanol, dispersants	
	Steability: centrifuge treatment for 0.5 hour with 2000 rotation/min	
TNADM-M2	MWNTs isopropanol Dispersion	\$108/500ml
CNTs:	MWCNTs Content:	
TNM1	TNM1 2 wt % OD: 5-15nm	
	Composition:TNM1, isopropanol, dispersants	
	Steability: centrifuge treatment for 0.5 hour with 2000 rotation/min	
TNACDM-M8	MWNTs dimethylacetamide Dispersion	\$108/500ml
CNTs:	MWCNTs Content:	
TNM8	TNM8 10wt % OD: 30-80nm	
	Composition:TNM8, dimethylacetamide, dispersants	
	Steability: centrifuge treatment for 0.5 hour with 2000 rotation/min	
TNACDM-M2	MWNTs isopropanol Dispersion	\$108/500ml
CNTs:	MWCNTs Content:	
TNM1	TNM1 2 wt % OD: 5-15nm	
	Composition:TNM1, isopropanol, dispersants	
	Steability: centrifuge treatment for 0.5 hour with 2000 rotation/min	
TNDMAM-M8	MWNTs Propylene glycol methyl ether acetate Dispersion	\$108/500ml
CNTs:	MWCNTs Content:	
TNM8	TNM8 10wt % OD: 30-80nm	
	Composition:TNM8, Propylene glycol methyl ether acetate, dispersants	
	Steability: centrifuge treatment for 0.5 hour with 2000 rotation/min	
TNDMAM-M2	MWNTs Propylene glycol methyl ether acetate	\$108/500ml
CNTs:	MWCNTs Content:	

TNM1	TNM1 2wt % OD: 5-15nm Composition:TNM1, Propylene glycol methyl ether acetate, dispersants Stability: centrifuge treatment for 0.5 hour with 2000 rotation/min	
TNWPS	High Purity SWCNTs H2O Paste SWNT Content: 0.2wt% Composition: SWCNT、non-ionic surfactant、H2O	\$67/kg
TNWPS	High Purity SWCNTs H2O Paste SWNT Content: 0.2wt% Composition: -COOH SWCNT、non-ionic surfactant、H2O	\$117/kg
TNWPHS	High concentration SWCNTs aqueous dispersion SWNT Content: 0.4wt% Composition:SWCNT、surfactant、H2O	\$117/kg
TNNPS	High Purity SWCNTs NMP Paste SWNT Content: 0.2-0.3 wt% Composition: SWCNT、dispersant、NMP	\$150/L
TNDPS	High Purity SWCNTs DMF Paste SWNT Content: 0.2-0.3 wt% Composition: SWCNT、dispersant、DMF	\$150/L
TNEPS	High Purity SWCNTs BA Paste SWNT Content: 0.2-0.3 wt% Composition: SWCNT、dispersant、BA	\$150/L
TNAPS	High Purity SWCNTs isopropanol Paste SWNT Content: 0.2-0.3 wt% Composition: SWCNT、dispersant、isopropanol	\$150/L
TNACPS	High Purity SWCNTs DMAC Paste SWCNT Content: 0.2-0.3 wt% Composition:SWCNT,dimethylacetamide, dispersant	\$150/L
TNWPM-13-M8 CNTs: TNIM8	High concentration MWCNTs Aqueous Paste MWCNTs Content: TNIM8 12-14wt % OD: 30-80nm Composition: TNIM8, water, dispersant	\$75/kg
TNWPMC-13-MC8 CNTs: TNIMC8	High concentration MWCNTs Aqueous Paste MWCNTs Content: TNIMC8 12-14wt % OD: 30-80nm Composition: TNIMC8, water, dispersant	\$83/kg
TNWPM-M8 CNTs: TNIM8	MWCNTs Aqueous Paste MWCNTs Content: TNIM8 10 wt % OD: 30-80nm Composition:TNIM8, water, dispersant	\$42/kg

TNWPM-M2	MWCNTs Aqueous Paste	\$42/kg
CNTs:	MWCNTs Content:	
TNIM1	TNIM1 5 wt % OD: 5-15nm	
	Composition:TNIM1, water, dispersant	
TNWPMC-MC8	MWCNTs Aqueous Paste	\$50/kg
CNTs:	MWCNTs Content:	
TNIMC8	TNIMC8 10 wt % OD: 30-80nm	
	Composition: TNIMC8, water, dispersant	
TNWPMC-MC2	MWCNTs Aqueous Paste	\$50/kg
CNTs:	MWCNTs Content:	
TNIMC1	TNIMC1 5 wt % OD: 5-15nm	
	Composition:TNIMC1 , water, dispersant	
TNAPM-M8	MWNTs Isopropanol Paste	\$100/L
CNTs:	MWCNTs Content:	
TNIM8	TNIM8 8-10wt % OD: 30-80nm	
	Composition:TNIM8,isopropanol, dispersant	
TNAPM-M2	MWNTs Isopropanol Paste	\$117/L
CNTs:	MWCNTs Content:	
TNIM1	TNIM1 2 wt % OD: 5-15nm	
	Composition: TNIM1, isopropanol, dispersant	
TNACPM-M8	MWNTs DMAC Paste	\$117/L
CNTs:	MWCNTs Content:	
TNIM8	TNIM8 10wt % OD: 30-80nm	
	Composition:TNIM8,dimethylacetamide, dispersant	
TNACPM-M2	MWNTs DMAC Paste	\$117/L
CNTs:	MWCNTs Content:	
TNIM1	TNIM1 2wt % OD: 5-15nm	
	Composition:TNIM1,dimethylacetamide, dispersant	
TNPMAM-M8	MWNTs PMA Paste	\$117/L
CNTs:	MWCNTs Content:	
TNIM8	TNIM8 10wt % OD: 30-80nm	
	Composition:TNIM8, Propylene glycol methyl ether acetate, dispersant	
TNPMAM-M2	MWNTs PMA Paste	\$117/L
CNTs:	MWCNTs Content:	
TNIM1	TNIM1 2wt % OD: 5-15nm	
	Composition:TNIM1, Propylene glycol methyl ether acetate, dispersant	
TNEPM-M8	MWNTs Butyl Acetate Paste	\$117/L
CNTs:	MWCNTs Content:	
TNIM8	TNIM8 8-10 wt % OD: 30-80nm	
	Composition:TNIM8, butyl acetate, dispersant	

TNEPM-M2	MWNTs Butyl Acetate Paste	\$117/L
CNTs:	MWCNTs Content:	
TNIM1	TNIM1 2 wt % OD: 5-15nm	
	Composition:TNIM1, butyl acetate, dispersant	
TNDPM-M8	MWNTs Dimethylformamide Paste	\$117/L
CNTs:	MWCNTs Content:	
TNIM8	TNIM8 10 wt % OD: 30-80nm	
	Composition:TNIM8, dimethylformamide, dispersant	
TNDPM-M2	MWNTs Dimethylformamide Paste	\$117/L
CNTs:	MWCNTs Content:	
TNIM1	TNIM1 2 wt % OD: 5-15nm	
	Composition:TNIM1 dimethylformamide, dispersant	
TNNPM-M8	MWNTs N-Methyl-2-pyrrolidone Paste	\$117/L
CNTs:	MWCNTs Content:	
TNIM8	TNIM8 9-10wt % OD: 30-80nm	
	Composition: TNIM8, N-Methyl-2-pyrrolidone, dispersant	
TNNPM-M2	MWNTs N-Methyl-2-pyrrolidone Paste	\$117/L
CNTs:	MWCNTs Content:	
TNIM1	TNIM1 2 wt % OD: 5-15nm	
	Composition:TNIM1, N-Methyl-2-pyrrolidone, dispersant	

9 CNTs/Polymer Composite

Product Model	Description	Price
TNPA6	CNTs/PA6 Masterbatches	\$20/kg
	CNTs Content: 15wt%	
	Matrix resin: PA6	
	Particle Resistivity: $\leq 30 \Omega$	
	Min Order: 5kg	
TNPP	CNTs/PP Masterbatches	\$17/kg
	CNTs Content: 20wt%	
	Particle Resistivity: $\leq 30 \Omega$	
	Min Order: 5kg	
TNHDPE	CNTs/HDPE Masterbatches	\$17/kg
	CNTs Content: 15wt%	
	Particle Resistivity: $\leq 30 \Omega$	

Min Order: 5kg		
TNLLDPE	CNTs/LLDPE Masterbatches	\$17/kg
	CNTs Content: 20wt%	
	Particle Resistivity: $\leq 30 \Omega$	
	Min Order: 5kg	
TNLDPE	CNTs/LDPE Masterbatches	\$17/kg
	CNTs Content: 25wt%	
	Particle Resistivity: $\leq 30 \Omega$	
	Min Order: 5kg	
TNABS	CNTs/ABS Masterbatches	\$17/kg
	CNTs Content: 15wt%	
	Particle Resistivity: $\leq 30 \Omega$	
	Min Order: 5kg	
TNPC	CNTs/PC Masterbatches	
	CNTs Content: 15%	
	Particle Resistivity: $\leq 30 \Omega$	
	Min Order: 5kg	
TNEPO-TNS	Single-walled CNTs-based Epoxy Resin Masterbatches	\$250/kg
CNTs: SWCNT	CNTs/ Dispersant/ Epoxy resin: 0.25/0.63/99.12	
	Epoxy model number: NPEL-128	
	NPEL-128 Viscosity @ 25°C (mPa·s):	
	12000-15000	
	Min Order: 1kg	
TNEPO-TNM2	Multi-walled CNTs-based Epoxy Resin Masterbatches	\$167/kg
CNTs: TNM1	CNTs/ Dispersant/ Epoxy resin: 2.0/2.4/95.6	
	CNTs OD: 5-15nm	
	Epoxy model number: NPEL-128	
	NPEL-128 Viscosity @ 25°C (mPa·s):	
	12000-15000	
	Min Order: 1kg	
TNEPO-TNM8	Multi-walled CNTs-based Epoxy Resin Masterbatches	\$167/kg
CNTs: TNM8	CNTs/ Dispersant/ Epoxy resin: 8.0/2.4/89.6	
	CNTs OD: 30-80nm	
	Epoxy model number: NPEL-128	
	NPEL-128 Viscosity @ 25°C (mPa·s):	
	12000-15000	
	Min Order: 1kg	

10 Nano-carbon Functional Coating

Product Model	Description	Price
TNRC-1	Nano-carbon Thermal Radiation Water-based Coating Types:Low temperature drying paint Surface resistance(Ω): 10^6 - 10^8 Min Order: 1kg	\$42/kg
TNRC-2	Nano-carbon Thermal Radiation Water-based Coating Types:Medium temperature baking paint Surface resistance(Ω): 10^8 - 10^{10} Min Order: 1kg	\$42/kg
TNRC-3	Nano-carbon Thermal Radiation Water-based Ink Types:Medium temperature baking painting ink Surface resistance(Ω): 10^8 - 10^{10} Min Order: 1kg	\$42/kg
TNTC-1	Nano-carbon Transparent Static Conductive Water-based Coating Surface resistance($\Omega/\square$): 10^3 - 10^4 60-70% transmittance including PET substrate Min Order: 1kg	\$42/kg
TNTC-2	Nano-carbon Transparent Static Conductive Water-based Coating Surface resistance($\Omega/\square$): 10^5 - 10^6 75-85% transmittance including PET substrate Min Order: 1kg	\$42/kg
TNEC-1	Nano-carbon static conductive water-based coating Square resistance: $10^6 \sim 10^8 \Omega/\square$ Can be adjusted within $10^1 \sim 10^{12} \Omega/\square$ Min Order: 1kg	\$42/kg
TNEC-2	Nano-carbon Conductive Coating Square resistance: $10^1 \sim 10^2 \Omega/\square$ Can be adjusted within $10^1 \sim 10^{12} \Omega/\square$ Min Order: 1kg	\$42/kg
TNHC-1	Nano-carbon Conductive and Heating Coating Coating volume resistivity ($\Omega.cm@$):0.1-0.2	\$42/kg

	Min Order: 1kg	
TNHC-2	Nano-carbon Conductive and Heating Coating	\$42/kg
	Coating volume resistivity ($\Omega \cdot \text{cm}$):0.1-0.2	
	Min Order: 1kg	
TNHC-102	Nano-carbon Conductive and Heating Coating	\$50/kg
	Coating volume resistivity ($\Omega \cdot \text{cm}@$):0.04-0.08	
	Min Order: 1kg	

11 Carbon nanotube sponge

Product Model	Description	Price
TNHM11-1	Carbon nanotube sponge Size: 10mm*10mm Thickness: 1-2mm	\$30/piece
TNHM51-1	Carbon nanotube sponge Size: 50mm*10mm Thickness: 1-2mm	\$185/piece
TNHM22-1	Carbon nanotube sponge Size: 20mm*20mm Thickness: 1-2mm	\$155/piece
TNHM52-1	Carbon nanotube sponge Size: 50mm*20mm Thickness: 1-2mm	\$430/piece
TNHM11-3	Carbon nanotube sponge Size: 10mm*10mm Thickness: 3-4mm	\$50/piece
TNHM51-3	Carbon nanotube sponge Size: 50mm*10mm Thickness: 3-4mm	\$280/piece
TNHM22-3	Carbon nanotube sponge Size: 20mm*20mm Thickness: 3-4mm	\$215/piece
TNHM52-3	Carbon nanotube sponge Size: 50mm*20mm Thickness: 3-4mm	\$615/piece

12 CNTs Composite Conductive Agent in Lithium Ion Batteries

Product Model	Description	Price
TNCC	CNTs Composite Conductive Agent in Lithium	\$180/kg

Ion Batteries

CNTs OD: 50-80nm
 CNT Length: 10-15 μ m
 SSA: 80m²/g
 pH: <9
 Min Order: 1kg

13 Fullerene

Product Model	Description	Price
TNC6099	Fullerene C60 Purity: 99wt% Molecular weight: 720.67	\$60/g
TNC60995	Fullerene C60 Purity: 99.5wt% Molecular weight: 720.67	\$92/g
TNC60999	Fullerene C60 Purity: 99.9wt% Molecular weight: 720.67	\$134/g
TNC7095	Fullerene C70 Purity: 95wt% Molecular weight: 840.78	\$233/g
TNC7098	Fullerene C70 Purity: 98wt% Molecular weight: 840.78	\$266/g
TNC7099	Fullerene C70 Purity: 99wt% Molecular weight: 840.78	\$300/g
TNFOL	Fullerenols Molecular formula: C ₆₀ (OH) _n · mH ₂ O Number of hydroxyl: 24-28	\$533/g

14 Nano-silver series

Product Model	Description	Price
TNWSN15	Silver Nanowire Average Diameter: 15 $\pm$ 3nm Average Length: 10-18 μ m Solvent: Water	\$ 500/g
TNASN15	Silver Nanowire Average Diameter: 15 $\pm$ 3nm Average Length: 10-18 μ m Solvent: Ethanol	\$ 500/g

TNISN15	Silver Nanowire Average Diameter: $15 \pm 3\text{nm}$ Average Length: 10-18 μm Solvent: Isopropanol	\$ 500/g
TNWSN20	Silver Nanowire Average Diameter: $20 \pm 3\text{nm}$ Average Length: 20-25 μm Solvent: Water	\$417/g
TNASN20	Silver Nanowire Average Diameter: $20 \pm 3\text{nm}$ Average Length: 20-25 μm Solvent: Ethanol	\$417/g
TNISN20	Silver Nanowire Average Diameter: $20 \pm 3\text{nm}$ Average Length: 20-25 μm Solvent: Isopropanol	\$417/g
TNWSN25	Silver Nanowire Average Diameter: $25 \pm 3\text{nm}$ Average Length: 20-25 μm Solvent: Water	\$330/g
TNASN25	Silver Nanowire Average Diameter: $25 \pm 3\text{nm}$ Average Length: 20-25 μm Solvent: Ethanol	\$330/g
TNISN25	Silver Nanowire Average Diameter: $25 \pm 3\text{nm}$ Average Length: 20-25 μm Solvent: Isopropanol	\$330/g
TNWSN30	Silver Nanowire Average Diameter: $30 \pm 5\text{nm}$ Average Length: 25-30 μm Solvent: Water	\$330/g
TNASN30	Silver Nanowire Average Diameter: $30 \pm 5\text{nm}$ Average Length: 25-30 μm Solvent: Ethanol	\$330/g
TNISN30	Silver Nanowire Average Diameter: $30 \pm 5\text{nm}$ Average Length: 25-30 μm Solvent: Isopropanol	\$330/g
TNWSN40	Silver Nanowire Average Diameter: $45 \pm 10\text{nm}$ Average Length: 5-15 μm Solvent: Water	\$250/g

TNASN40	Silver Nanowire Average Diameter: $45 \pm 10\text{nm}$ Average Length: 5-15 μm Solvent: Ethanol	\$250/g
TNISN40	Silver Nanowire Average Diameter: $45 \pm 10\text{nm}$ Average Length: 5-15 μm Solvent: Isopropanol	\$250/g
TNWSN50	Silver Nanowire Average Diameter: $50 \pm 5\text{nm}$ Average Length: 25-35 μm Solvent: Water	\$330/g
TNASN50	Silver Nanowire Average Diameter: $50 \pm 5\text{nm}$ Average Length: 25-35 μm Solvent: Ethanol	\$330/g
TNISN50	Silver Nanowire Average Diameter: $50 \pm 5\text{nm}$ Average Length: 25-35 μm Solvent: Isopropanol	\$330/g
TNWSNS30	Short Silver Nanowire Average Diameter: 30-40nm Average Length: 2-5 μm Solvent: Water	\$417/g
TNASNS30	Short Silver Nanowire Average Diameter: 30-40nm Average Length: 2-5 μm Solvent: Ethanol	\$417/g
TNISNS30	Short Silver Nanowire Average Diameter: 30-40nm Average Length: 2-5 μm Solvent: Isopropanol	\$417/g
TNWSNS40	Short Silver Nanowire Average Diameter: $40 \pm 5\text{nm}$ Average Length: 2-7 μm Solvent: Water	\$200/g
TNASNS40	Short Silver Nanowire Average Diameter: $40 \pm 5\text{nm}$ Average Length: 2-7 μm Solvent: Ethanol	\$200/g
TNISNS40	Short Silver Nanowire Average Diameter: $40 \pm 5\text{nm}$ Average Length: 2-7 μm Solvent: Isopropanol	\$200/g

TNSNTB	Silver Nanowires Coating Solution Solid Content: <1wt% Density:0.9-1.0g/ml Sheet resistance:10-100Ω/□ Hardness:2-3H	\$533/L
TNSNSY-1	Transparent Conductive Ink For Screen Printing Sheet resistance:50-150Ω/□ ConductiveLayer LightTransmittance:95-98%	\$1415/kg
TNSNSY-1	Transparent Conductive Ink For Screen Printing Sheet resistance:50-150Ω/□ ConductiveLayer LightTransmittance:95-98%	\$1415/kg
TNSNSY-1	Transparent Conductive Ink For Screen Printing Sheet resistance:50-150Ω/□ ConductiveLayer LightTransmittance:95-98%	\$1415/kg

15 Nano-ceramic Powders

Product Model	Description	Price	
TNSi3N4	Si3N4 Purity: 97wt% SSA:>45m ² /g Particle size: 30-70 nm Total oxygen content: <0.2% Color: White	\$0.8/g	100g-500g
		\$0.6/g	500g-1kg
		\$400/kg	1kg-10kg
TNTiN	TiN Purity: 97wt% SSA: >45m ² /g Particle size: 20 nm Total oxygen content: <1% Color: Black	\$1/g	100g-500g
		\$0.7/g	500g-1kg
		\$580/kg	1kg-10kg
TNSiC	SiC Purity: 97wt% SSA:20-30m ² /g Particle size: 60 nm Total oxygen content: <0.8% Color: Gray	\$0.8/g	100g-500g
		\$0.6/g	500g-1kg
		\$460/kg	1kg-10kg
TNTiC	TiC Purity: 97wt% SSA: 23m ² /g Particle size: 50nm Total oxygen content: <1% Color: Black	\$1/g	100g-500g
		\$0.7/g	500g-1kg
		\$580/kg	1kg-10kg
TNZrC	ZrC	\$1.7/g	100g-500g

	Purity: 97wt%	\$1.2/g	500g-1kg
	SSA: 11m ² /g	\$1000/kg	1kg-10kg
	Particle size: 20 nm		
	Total oxygen content: <1%		
	Color: Black		
TNSi-50	Nano Silicon Powder	\$1.5/g	100g-500g
	Purity: >97%	\$1/g	500g-1kg
	Oxygen content:<2%	\$750/kg	1kg-10kg
	D50:50nm		
	SSA: ≥100m ² /g		
TNSi-100	Nano Silicon Powder	\$1.3/g	100g-500g
	Purity: >97%	\$0.9/g	500g-1kg
	Oxygen content:<2%	\$667/kg	1kg-10kg
	D50:100nm		
	SSA: ≥60m ² /g		

16 Purchase Procedure and Bank Account Information

How to purchase our CNTs and what's the process for purchasing?

Step 1: Customer place the purchase order.

Step 2: According to the requirements, Timesnanos offer the products quotation/purchase contract and proforma invoice to customers.

Step 3: Customers **pay the payment in advance** by Wire Transfer (T/T), and then, scan the bank remittance bill to Timesnano. (Email: carbon@cioc.ac.cn, times@cioc.ac.cn, nano@cioc.ac.cn)

Step 4: When Timesnano receives the copy of bank remittance bill, the products and original invoice would be delivered by Fedex as soon as possible. Usually, the shipping time is about 5-7 from China to other country.

Step 5: Timesnano informs the Express tracking number to customers.

Bank information for wire transfer Bank transfer:

Company: Chengdu Zhongke Times Nano Energy Tech Co., Ltd.

Bank: BANK OF CHINA CHENGDU WUHOU SUB-BRANCH



Bank address: NO.45, SECTION 3, SOUTH 1 ST RING ROAD,
WUHOU DISTRICT, CHENGDU, SICHUAN PROVINCE.

Accounts: 1266 6553 5905

SWIFT: BKCHCNBJ570